
TACTIC Developer

Table of Contents

Developer Start-up	4
Development Concepts	4
Architecture Overview	4
The TACTIC Script Editor	7
Client API	12
Client API Setup	12
Client API Structure	15
Basic Operations in Python and Javascript	17
Checkin / Checkout Operations	21
Snapshot Dependency	27
Custom Widgets	29
Widget Architecture	29
Custom Layout Editor	33
Custom Widget Basics	38
Widget Development (Advanced)	46
Expression Development	56
Using Expressions in Scripting	56
Validation	58
Validation Set-up	58
TACTIC Python Client API Reference	59
__init__	60
abort	61
add_config_element	62
add_dependency	64
add_dependency_by_code	65
add_directory	66
add_file	68
add_group	71
add_initial_tasks	72
build_search_key	73
build_search_type	74
checkout	75
clear_upload_dir	76
connect_subjects	77
create_search_type	78
create_snapshot	79
create_task	80
delete_object	81
directory_checkin	82
download	83
eval	84
execute_cmd	85
execute_pipeline	86
execute_python_script	87
finish	88
generate_ticket	89
get_all_children	90

get_all_dependencies	91
get_all_paths_from_snapshot	92
get_base_dirs	93
get_by_search_key	94
get_child_types	95
get_client_api_version	96
get_client_dir	97
get_client_version	99
get_column_info	100
get_column_names	101
get_config_definition	102
get_connected_sobject	103
get_connected_sobjects	104
get_dependencies	105
get_expanded_paths_from_snapshot	106
get_full_snapshot_xml	107
get_handoff_dir	108
get_home_dir	109
get_info_from_user	110
get_md5_info	111
get_parent	112
get_parent_type	113
get_path_from_snapshot	114
get_paths	116
get_pipeline_processes	117
get_pipeline_processes_info	118
get_pipeline_xml	119
get_pipeline_xml_info	120
get_plugin_dir	121
get_preallocated_path	122
get_protocol	124
get_related_types	125
get_resource_path	126
get_server_api_version	127
get_server_version	128
get_snapshot	129
get_table_info	131
get_ticket	132
get_types_from_instance	133
get_unique_sobject	134
get_virtual_snapshot_path	135
get_widget	137
get_widget_setting	138
group_checkin	139
insert	140
insert_multiple	142
insert_update	143
log	144
query	145
query_snapshots	147
reactivate_sobject	148
redo	149
retire_sobject	150
set_current_snapshot	151

set_login_ticket	152
set_project	153
set_protocol	154
set_server	155
set_widget_setting	156
simple_checkin	157
split_search_key	159
start	160
undo	161
update	162
update_config	163
update_multiple	164
upload_file	165

Developer Start-up

Development Concepts

Introduction

The term "asset" is used often, and has many different meanings in different industries and even in different areas of the same production facility. In TACTIC, an asset is an *atomic entity* with metadata and files associated with it. To avoid confusion, the TACTIC assets are called "searchable objects," shortened to *sObjects*.

sObjects

sObjects are the atomic entities (or assets) that TACTIC uses to manipulate data and check in files. An sObject can be any entity required in a production. Examples of sObjects include shots, textures, users, tasks, production notes, and so on.

Every sObject must belong to a search type, also known as sType. *Search types* are a set of unique string entities that serve to classify all variations of sObjects. Search types are registered in the "search_object" table in the "sthpw" database. This table defines the properties for each search type, and is used to ensure that sObjects adheres to their search type properties. For instance, in a custom project, you may have a custom/shot sType created for shot. Once it's registered, you can add shot entries in the shot table that it generates. The shot entries are the shot sObjects.

It is technically possible to store data on assets anywhere, but the TACTIC approach is to use an SQL database so sObject data can be tracked in the database and rules can be enforced. In TACTIC, each sObject is represented as a table in the database. All sObjects for your project are stored in a project-wide database and cross-project sObjects (for example, those related to users) are stored in the main TACTIC database "sthpw."

Architecture Overview

The TACTIC architecture is an MVC architecture with the following major components:

SObject - Model(M)	Provides the data model. All interactions with the data model use sObjects and their derived classes.
Widget - View(V)	Provides the display model, which determines the user interface and how users interact with the web application. The display architecture is built upon hierarchical widgets that are SObject-aware (that is, they use sObjects to define the interface).
Command - Command(C)	Provides higher-level interactions with the data model. All actions affecting the data model or the filesystem must go through a command layer so that the changes can be tracked and completely undoable should something go wrong.
Search	Provides a search model so widgets can obtain the SObjects they need to complete the interface display. Each type of sObject has a registered name which is used in the search engine to identify which sType to search. This provides a consistent interface to access all sObjects regardless of the location of the sObject in the database or table.

In summary, widgets make use of the Search, get SObjects, and use commands to change persistent data. The sObject communication unit binds the view layer with the data model.

Main Data Objects

SObjects (searchable objects) are atomic, self-contained units that contain attributes. A particular sObject can be uniquely identified by two parameters: a search type and a search ID. Often these two parameters are combined into a "search key" defined as <search_type>|<search_id> (joined with the "|" character). Search keys allow you to uniquely identify any SObject using a single string.

Particular SObjects are obtained using the search engine, which generally returns a list of SObjects. The search engine is flexible enough to allow arbitrary bits of SQL code to be used for a search, although that approach is discouraged. (To maximize code reuse, it is better to put SQL code inside the low-level business objects that provide static functions to higher level parts of the framework.)

Widgets are the atomic drawing units. Typically, widgets are SObject-aware and can perform and affect searches and draw SObjects. Widgets can contain children, and many function calls will traverse down to their children. For example, a widget can be assigned a search object. It will perform this search and pass the results to all of its children widgets, who will make use of the result as necessary.

One important widget function is the `get_display()` function, which draws widgets and can generate HTML. This function can be as simple as just drawing something that has nothing to do with sObject data, or can be a complicated function retrieving and displaying sObjects and all of their child sObjects.

Widgets

Widgets determine how users interact with the web application. They have a number of useful properties that allow for the rapid development of web applications. For example, they can have a search assigned to them to locate and retrieve sObjects. They can typically perform actions across the search results, affecting multiple SObjects.

Widgets call events and listen to events, allowing for inter-widget communication. They interact with each other in the web application by registering events. For example, one widget, on initialization, may register itself as a listener for a named event. Another widget may call the named event upon an arbitrary action, at which point all widgets that are registered listeners for that event will be executed. This type of interaction allows for multiple actions to occur as a result of a user interaction, such as the click of a single button.

Checkin/checkout is the framework for filesystem interaction. All interaction within the checkin/checkout framework is done through the SObjects themselves so that they can determine their own checkin/checkout conditions and mechanisms. The checkin framework creates a 'snapshot' SObject that is related to the original SObject through a `search_id`. It assigns a unique file ID for every transaction, and creates snapshot attributes for the SObjects.

Engineering requirements for a particular application must be gathered and translated into widgets, including definitions of the widgets' relationships to each other.

AJAX Widgets

TACTIC's widget hierarchy falls naturally within the AJAX paradigm, where widgets are capable of redrawing themselves. Instead of refreshing the entire page, AJAX widgets actively gather the required information from the page and send only that information to the web server (as opposed to the entire contents of the page). The widget then processes the information and updates itself. This technique makes a much more interactive application because the web server only has to draw the individual widget element instead of the entire page. In addition to a faster and more interactive experience, AJAX widgets significantly reduce the overall load on the web server, making TACTIC far more scalable with the same resources.

TACTIC's interface runs on top the the client API, therefore all interaction between the client and the server run on an XMLRPC layer resting on top of AJAX. This is very convenient for complex interactions between the client and the server.

Web Drawing Engine

This drawing engine is based on numerous interface platforms generally geared towards traditional application design. However, it has been adjusted to accommodate the unique web environment. A typical application would define a number of predefined widgets and assemble them in a hierarchical relationship.

Specialized widgets must be created to serve specific functions: for example, checkin/checkout widgets, download widgets, upload widgets, and navigation widgets.

Persistent Store

All metadata is stored in an industry-standard SQL database. The database tables and rows are clearly marked and readable, so it is easy to access the data directly. In today's fast-changing environment, it is essential to be able to quickly read and understand the underlying data stored to be able to maintain proper support for diagnosing and fixing problems.

All data is accessed through sObject entities, which provide the object relational mappings to the database tables. In general, a single sObject is represented by a row in the table of a database. The table defines the type of SObjects stored in it, and there is usually a one-to-one relationship between the attributes of each sObject and the columns in the database.

Directory and File Naming Conventions


It is just as critical to be able to navigate the filesystem and understand what is located there. Therefore, advanced naming conventions are filtered through naming classes, which use clear procedures to create filenames based on metadata in the database. On the other hand, naming conventions can be driven by some expressions such as `{object.code}_{snapshot.context}_v{snapshot.version}.{ext}`.

Directories and file naming are handled slightly differently. TACTIC builds file names procedurally and then stores them in the database. On the other hand, TACTIC never stores directory names directly in the database, but always builds them up procedurally. This additional level of abstraction provides the opportunity to reorganize your asset structure as needed (because the directory structure isn't hard-coded). Note that there may be other dependencies that are outside the control of TACTIC, so great care must be taken should you decide to reorganize the directory structure of your assets.

The TACTIC Script Editor

The TACTIC Script Editor allows for Javascript and Python based scripts to be written and stored in a "custom script" sObject. These scripts harness the power of Javascript in the web browser along with the power of the Python TACTIC Client API. They can be structured to run on a general execution, by a trigger or, they can be attached to a button to execute for a specific sObject.

One of the main benefits with using this method of custom scripting in TACTIC is that the script writer does not have to have direct access to the server's file system.



Outputting to the Debug_Log Table With The TacticServerStub.log() Function

The TacticServerStub.log() method writes to the table named 'debug_log' in the sthpw database.

The first parameter of the TacticServerStub.log() method is named **level**. The argument for **level** can be one of the following keywords:


level	critical error warning info debug - arbitrary debug level category
--------------	--

The TacticServerStub.log() method can be used as follows:

```
var server = TacticServerStub.get()
server.log('debug','My log message for the debug group.')
```

The debug level argument provides the convenience of grouping the Debug Log table by debug levels. This table can be found under:

Admin Views -> Server -> Debug Log



<input type="checkbox"/>	Category	Level	Message	Timestamp	Login
<input type="checkbox"/>	default	debug	debug level message	May 23, 2012 - 10:10	admin
<input type="checkbox"/>	default	info	info level message	May 23, 2012 - 10:12	admin
<input type="checkbox"/>	default	warning	warning level message	May 23, 2012 - 10:13	admin
<input type="checkbox"/>	default	error	error level message	May 23, 2012 - 10:13	admin
<input type="checkbox"/>	default	critical	critical level message	May 23, 2012 - 10:14	admin



Note


These 5 debug levels are arbitrary.

The only purpose the levels serve are to group the messages when they are sorted in the table.

Outputting to the TACTIC Web Client Output Log With The log Methods


While writing scripts in the TACTIC Script Editor, messages can be output to the **Web Client Output Log**.

Below are the 5 Javascript methods in use. The most vocal method, `log.critical()`, is at the top:




Below is the Output Log console from above the sample script. It can be found under:

Main Gear menu -> Tools -> Web Client Output Log.




The level of the log messages which appear in the Javascript Output Client Log can be controlled. The level can be adjusted under: **My Admin -> User Preferences.**



Below is a table to illustrate what the setting for each level will display

critical setting	only display messages that are from log.critical()
error setting	only display messages that are from log.critical() or log.error()
warning setting	only display messages that are from log.critical() or log.error() or log.warning()
info setting	only display messages that are from log.critical() or log.error() or log.warning() or log.info()
debug setting	only display messages that are from log.critical() or log.error() or log.warning() or log.info() or log.debug()

For example, if the Web Client Logging Level is set in the preferences to the **warning** level, we will only see messages that are from log.warning(), log.error() and log.critical(). ie. Only messages at the same level or above that level will be displayed in the Web Client Output Log.



Client API JavaScript Samples

Example 1: Insert A New sObject

```
// INSERT A NEW SUBJECT

var server = TacticServerStub.get();

var code = "truck";
var asset_name = "truck";
var description = "A model of a truck.";
var search_type = "toy_factory/lego_set";
var project = "toy_factory";
var data = {
  'code': code,
  'name': asset_name,
  'description': description
};

var search_key = server.build_search_key(search_type, code, project);
var result = server.insert(search_type, data);
log.debug(result);
```

Results after insert:

<input type="checkbox"/>	Preview	Name	Description	Notes
<input type="checkbox"/>	NO PREVIEW	model crane	A model of a crane.	

Example 2: Get An sObject by Its Search Key

```
// GET BY SEARCH_KEY
var server = TacticServerStub.get();


var search_type = "toyrus/lego_set";
var code = "model_crane";
var project = "toyrus";
```

```

var search_key = server.build_search_key(search_type, code, project);
var result = server.get_by_search_key(search_key);
alert(result.description);
server.log("debug", result);

```

Results after get_by_search_key():



Example 3: Update An Existing sObject

```

// UPDATE EXISTING SUBJECT

var server = TacticServerStub.get();

var code = "model_crane";
var project = "toyrus";
var asset_name = "model crane";
var description = "Revised description of a crane.";
var search_type = "toyrus/lego_set";
var data = {
  'code': code,
  'name': asset_name,
  'description': description
};

var search_key = server.build_search_key(search_type, code, project);
var result = server.update(search_key, data);
server.log("debug", result);

```

Results after update:

<input type="checkbox"/>	Preview	Name	Description	Notes
<input type="checkbox"/>	NO PREVIEW	model crane	Revised description of a crane.	

Example 4: Retire An Existing sObject

```

// RETIRE AN EXISTING OBJECT

var server = TacticServerStub.get();

var search_type = "toyrus/lego_set";
var code = "model_crane";
var project = "toyrus";

var search_key = server.build_search_key(search_type, code, project);
var results = server.retire_sobject(search_key);
server.log("debug", result);

```

Results after retire:

<input type="checkbox"/>	Preview	Name	Description	Notes

Client API

Client API Setup

Important Note

Visit the Southpaw support site for more examples and tutorials on the API and its usage. The Support site is the place to go for wikis, forums, examples, and more.

Setup

The easiest way to interact with the server from the client using the Client API is to use the provided server stub code. This code includes a class and a utility that are very useful for handling many of the details around client/server interaction and authentication.

The server stub code is housed in a client folder and can be found in the TACTIC installation in the directory:

```
<tactic_install_dir>/src/client
```

The first step is to copy the entire client folder over to the client machine (the machine that will be running the scripts) to a directory that will be visible to the user. Most facilities would likely put this folder in a centralized location so that every computer would be able to execute its scripts. The path to this folder must be specified in the PYTHONPATH environment variable on client machines so that it can be found by the scripts. For instance, if PYTHONPATH = L:/custom_python, you would put the client folder in L:/custom_python. Please refer to the Python documentation for more information.

Settings

There are three important parameters for setting up the TacticServerStub to connect correctly :

- **server:** specifies the server that the server stub will connect to. This server can be a domain name ("localhost") or an IP address ("127.0.0.1"). It can even be a port number ("localhost:9000"). This setting allows you to switch between various TACTIC servers in your facility.
- **project:** specifies the current project. In TACTIC, the project is a state under which interactions occur.
- **ticket:** specifies the authentication ticket, a long alpha-numeric string that encrypts the login and password so that these values remain secure.

There are a number of methods to set these parameters.

The **first method** is to set the following parameters directly in the server stub reference:

```
server = TacticServerStub()  
server.set_server(tactic_server)  
server.set_project(project)  
# this is not needed if you have run python get_ticket.py  
server.set_ticket(ticket)
```

These settings override all settings obtained elsewhere. This method ensures that these values are set up correctly based on some external information.

To set up a server stub, you can insert the stub information in your script (described in the client API documentation as part of the get_ticket() function). Or, you can run the script **get_ticket.py**, which is included with the client API example set (located in <TACTIC_INSTALL_DIR>/src/client/bin). When the stub is run, it creates a ticket file on the user's machine which will be used each time any API script is run to authenticate which user is running the script.

The **second method** is through environment variables set up across the studio:

- TACTIC_SERVER: sets the server that the server stub will connect to.
- TACTIC_PROJECT: sets the project that the server stub will connect to.
- TACTIC_TICKET: sets the authentication ticket.

This method can be used by programs that set up user environments, and has other advantages. It is easy to switch the settings using a shell variable. The program that sets up the environment does not have to be written in Python. It can even be simple to set up by using a shell command line to set the environment variables.

The **third method** makes use of a resource file located in the user's home directory. This resource file has a simple format:

```
login=joe
server=localhost
ticket=97d2bec3d73da71c14fb724a47af5053
project=bar
```

The login tag doesn't actually do anything here, since the user name is encapsulated in the ticket itself.

The **fourth method** is described below:

Alternative way of using TacticServerStub without a ticket file

Alternative way of using TacticServerStub without a ticket file

If you have written a GUI or have some means of retrieving the user's password on individual session instead, you can use the following construct to set the ticket. The server's IP and project should be set beforehand.

```
server = TacticServerStub.get()
server_IP = '10.10.50.100'
my.set_server(server_IP)
my.set_project('sample3d')

ticket = my.get_ticket(login, password)
my.set_ticket(ticket)
```

Once you have set up the environment for the client API to run correctly, you can try a sample script. The following simple script illustrates the structure of a TACTIC Client API program:

```
import sys
from tactic_client_lib import TacticServerStub

def main(args):
    server = TacticServerStub()
    server.start("Ping Test")
    try:
        print server.ping()
    except:
        server.abort()
        raise
    else:
        server.finish()

if __name__ == '__main__':
    executable = sys.argv[0]
    args = sys.argv[1:]
    main(args)
```

This simple program will ping the server and return "OK". If everything is set up correctly, you should be able to run this program from a shell as follows:

```
# python ping.py  
OK
```

If you see "OK", then you have successfully connected to the TACTIC server using the client API.

If you need to run `python get_ticket.py` first, it can be found under: `client/bin/get_ticket.py`.

Client API Structure

Directory Structure

The client API files are located in the directory <tactic_install_dir>/src/client. This directory contains all the files need for the client API. Typically you would copy all of the files in this directory to a location visible to the client machine.

There are a number of directories in this Client API directory:

- **bin:** contains useful supported scripts.
- **test:** contains unit tests for the client API.
- **examples:** contains a number of small examples to be used for reference.
- **tactic_client_lib:** the main directory for the Client API.

The main directory "tactic_client_lib" is the base module that you will use to access all of the TACTIC client APIs. Typically, you would import this module when working with the client API:

```
from tactic_client_lib import TacticServerStub
```

There are a number of subdirectories under tactic_client_lib:

- **tactic_server_stub.py:** contains the main server class "TacticServerStub". This class encapsulates all interactions to the TACTIC server and is generally the primary class used with the client API.
- **(ALPHA) application:** contains all the classes that deal with interaction with third-party applications. It provides an abstraction layer for applications and allows you to set data that can be used by TACTIC's introspection (verification).
- **common:** contains a number of convenience functions that are commonly used.
- **interpreter:** contains the client-side pipeline interpreter. This interpreter executes pipelines defined on the TACTIC server. These pipelines can be used to create highly complex modular client-side processes. Typical uses are for the checkin and checkout pipelines.
- **test:** contains a number of test classes used by the unit tests.

You should point to the Client API by having the directory src/client/tactic_client_lib stored somewhere accessible to client machines. Import the Tactic_Server_Stub with the following line in your script from tactic_client_lib:

```
import Tactic_Server_Stub
```

(For more details, visit the Southpaw Support site.)

tactic_server_stub.py

This module contains the TacticServerStub class, which encapsulates all interactions with the TACTIC server. This class lets you make full use of the TACTIC architecture in your custom applications. Although the TacticServerStub can be instantiated, it is often preferable to use it as a singleton so you can set up the server once and make use of it from various locations in your applications:

```
from tactic_client_lib import TacticServerStub
server = TacticServerStub.get()
```

Once you have a reference to the TacticServerStub, you must set it up using three essential parameters: server, ticket, project. These parameters are described in more detail in the client API setup documentation.

interpreter

This directory contains all the code needed to execute pipelines on the client. Pipelines in TACTIC are arbitrary process flow graphs. These pipelines have a number of advantages over other methods:

- They promote reusability, with each process handler having a consistent interface from which it can extract information. Typically, handlers are like mini programs which for the most part are compartmentalized and have little to do with each other.
- They can be visualized. Using the pipeline editor, the entire flow of the pipeline can be graphically visualized
- They can be specialized. Each aspect of the pipeline can be written by those team members most suited for the task.
- They lower the bar to creating complex pipelines. With a large library of well-written handlers, it becomes possible for non-developers to create pipelines by graphically piecing processes together.

application

This directory handles all of TACTIC's interaction with third-party applications.

NOTE: this section is still in active development.

Basic Operations in Python and Javascript

Note

If you haven't done so, please review the Client API Setup doc.

Simple Ping

The following is a skeleton script interacting with the Client API:

```
from tactic_client_lib import TacticServerStub

def main():
    server = TacticServerStub()
    server.start("Ping Test")
    try:
        print server.ping()
    except:
        server.abort()
        raise
    else:
        server.finish()

if __name__ == '__main__':
    main()
```

Executing this script will give the following output:

```
$ python examples/ping.py
OK
```

If you haven't had a ticket in the user directory, please run `python get_ticket.py`. Otherwise, you will get an error like this:

```
File "G:\TSI\3.0_client\client\tactic_client_lib\tactic_server_stub.py",
    line 2789, in _setup raise TacticApiException(msg)
tactic_client_lib.tactic_server_stub.TacticApiException:
[C:/sthpw/etc/<someuser>.tacticrc] does not exist yet. There is not enough
information to authenticate the server. Either set the appropriate environment
variables or run get_ticket.py
```

The first line imports the `TacticServerStub` class. This class is a stub to the server and relays function calls between the TACTIC server and the client API code. It handles all the details of how to connect to the server. It also maintains status information, including the current project and whether or not the session is authenticated.

All client API scripts should run within a transaction. This requirement is achieved using `server.start("Ping Test")`, which initiates a new transaction on the server. All subsequent server interactions are grouped in the same transaction until `server.finish()` is executed. The function `server.abort()` is used to abort the transaction should any error occur in the body of the code.

Querying data

The most fundamental operation in the Client API is the query function, which enables access to direct information on an SObject

The following example illustrates the use of the query function:

```
# define the search type we are searching for
```

```
search_type = "prod/asset"

# define a filter
filters = []
filters.append( ("asset_library", "set") )

# do the query
assets = my.server.query(search_type, filters)

print "found [%d] assets" % len(assets)

# go through the asset and print the code
for asset in assets:
    code = asset.get("code")
    print(code)
```

Executing this example will give the following output:

```
$ python examples/query.py
found [3] assets
chr001
chr002
chr003
```

In this example, a `search_type` is first defined. This search type is a uniquely named identifier for a class of `SObjects`.

A list of filters is next defined. These filters allow you to narrow the search to specific `SObjects`. In this example, only assets of the `asset_library = "set"` will be found.

Next, the assets are retrieved using the `query()` function, which returns a list where each element is a serialized dictionary of an `SObject`. In this example, the code for each asset is retrieved and printed.

Filters are very important in the `query` function because they narrow down searches to find the specific `SObjects` you are looking for. The filters are very flexible and support a wide range of different modes. A sample of the supported modes is shown below:

```
# simple search filter
filters = []
filters.append( ("name_first", "Joe") )
results = my.server.query(search_type, filters, columns)

# search with 'and': where name_first = 'Joe' and name_last = 'Smoe'
filters = []
filters.append( ("name_first", "Joe") )
filters.append( ("name_last", "Smoe") )
results = my.server.query(search_type, filters, columns)

# search with 'or': where code in ('joe','mary')
filters = []
filters.append( ("code", ("jo e", "mary")) )
results = my.server.query(search_type, filters, columns)

# search with 'or': where code in ('joe','mary') order by code
filters = []
filters.append( ("code", ("joe", "mary")) )
order_bys = ['name_first']
results = my.server.query(search_type, filters, columns, order_bys)

# search with like: where code like 'j%'
filters = []
filters.append( ("code", "like", "j%") )
```

```
results = my.server.query(search_type, filters, columns)

# search with regular expression: code ~ 'ma'
filters = []
filters.append( ("code", "~", "ma") )
results = my.server.query(search_type, filters, columns)

# search with regular expression: code !~ 'ma'
filters = []
filters.append( ("code", "!~", "ma") )
```

Insert and Update

It is essential to insert SObjects and update their values.

The following code creates a new asset in the database.

```
# define a search type for which to add a new entry
search_type = 'prod/asset'

# build a data structure which is used as data for the new subject
data = {
    'code': 'chr001',
    'name': 'Bob',
    'description': 'The Bob Character'
}

server.insert(search_type, data)
```

The following code snippet updates an existing asset in the database:

```
# define the search key we are searching for
search_type = "prod/asset"
code = 'vehicle001'
search_key = server.build_search_key(search_type, code)

# build a dataset of updated data
data = {
    'description': 'This is a new description'
}
# do the update
asset = my.server.update(search_key, data)

print asset.get("description")
```

Note that the search key is used to identify the precise sObject being updated. This search key uniquely identifies an sObject in TACTIC. With this search key, TACTIC is able to precisely update the specified sObject.

Javascript Client API

The TACTIC Client API can be accessed in Javascript as well as Python. One can deduce its usage from the Python Client API doc. One main point to notice is that the keyparams in the Client API doc, also known as keyword arguments, should be expressed as a hash { } in javascript. Here are some examples:

1. Using the eval() function, we want to find all the anim snapshots checked in with the asset chr001.

```
var server = TacticServerStub.get();
var exp = "@SOBJECT(sthpw/snapshot['context','anim'])";
var result = server.eval(exp, {search_keys: ['prod/asset?project=sample3d&code=chr001']});
log.critical(result);
```

2. Display the notes written for the selected assets in the UI.

```
var server = TacticServerStub.get();
var search_keys = spt.table.get_selected_search_keys();
var exp = "@SOBJECT(sthpw/note)";
if (search_keys.length > 0){
    var result = server.eval(exp, {search_keys: search_keys});
    log.critical(result);
}
```

3. Display only the task code in anim or lgt process with description containing the word fire, not specific to any particular asset.

```
var server = TacticServerStub.get();
var exp = "@GET(sthpw/task['process', 'in', 'anim|lgt']['description','EQ','fire'].code)";
var result = server.eval(exp);
log.critical(result);
```

4. To insert a note for an asset chr001 under the model process and context.

```
var server = TacticServerStub.get();
var sk = server.build_search_key('prod/asset','chr001');
server.insert('sthpw/note', {'note': 'A test note', process: 'model', context: 'model', login:
    'admin'},
    {parent_key: sk});
```

5. To get the latest snapshot of the asset chr001 for the current project

```
var server = TacticServerStub.get();
var sk = server.build_search_key('prod/asset','chr001');
var snapshot = server.get_snapshot(sk, {context:'anim', include_paths_dict: true, versionless:
    false});
log.critical(snapshot);
```

6. To run a query of snapshots using filters and limit keyword arguments

```
var server = TacticServerStub.get();
var filters = [];
// use built-in expression operator EQ, NEQ, EQI, or NEQI to specify the search_type has to
// contain prod/shot
filters.push(['search_type', 'EQ','prod/shot']);
filters.push(['project_code','sample3d']);
var snapshot = server.query_snapshots({filters: filters, limit: 5});
log.critical(snapshot);
```

Checkin / Checkout Operations

Checking files in

The Client API has access to the full range of TACTIC's asset management system.

Any sObject can become a "container" for check-ins. This has the advantage that you can use this one SObject (container) to check in files using the deep set of check-in tools provided by TACTIC. The rest of this section describes the different types of check-ins available.

Simple Checkin

The `simple_checkin()` function allows you to check in a single file.

```
file_path = "../test/miso_ramen.jpg"

# now check in the file
search_type = "unittest/person"
code = "joe"
context = "test_checkin"
search_key = my.server.build_search_key(search_type, code)

# simple check-in of a file. No dependencies
desc = 'A Simple Checkin'
snapshot = my.server.simple_checkin(search_key, context, file_path, description=desc,
mode="upload")
print snapshot.get('snapshot')
```

The `simple_checkin` is the most basic type of check-in. It creates a snapshot and then checks a file into that snapshot. The newly created snapshot is returned.

```
<snapshot>
<file name="miso_ramen_v001.jpg" type='main' code='123BAR' />
</snapshot>
```

The exact file name that is checked in will vary depending on the specific implemented naming conventions

Group (or Sequence) Checkin

The `group_checkin()` function allows you to check in a sequence of files, defined by a frame range:

```
<start>-<end>/<by>
```

For example, a frame range of 1 to 10 is described as "1-10". Or every second frame from frame 20 to frame 50 can be described as "20-50/2".

TACTIC provides two notations to describe the file names of a range of frames. This special notation, in conjunction with the frame range, can generate a sequence of files. The two notations are as follows:

- `<base>####.<ext>`
- `<base>.%0.4d.<ext>`

Here is a code example of checking in a sequence of files:

```
pattern = "../test/miso_ramen.%0.4d.tif"
file_range = '1-24'
context = 'beauty '

# build the search key
search_type = "unittest/person"
```

```
code = "joe"
search_key = my.server.build_search_key(search_type, code)

# simple checkin of a file
desc = 'A Checkin of a group of files'
context = "test_checkin"
snapshot = server.group_checkin(search_key, context, file_pattern, file_range)
print snapshot.get('snapshot')
```

When executed, this example will check in a sequence of 24 files starting from 1 to 24. It should be noted that this method will by default expect that the files have been uploaded to the server. For this reason, it is often recommended to use preallocated check-ins for both sequence and directory check-ins.

Directory Checkin

As the name suggests, a directory check-in enables an entire directory and all of its subdirectories to be checked in. TACTIC does not keep track of the contents of the checked-in directory. This allows you to check in complex directory structures without having to inform TACTIC of all of the details of the contents. This might be the best approach when all the details of the directory are already handled by some other system so it is not necessary for TACTIC to track things.

Here is a code example of checking in a directory:

```
file_path = "./test/XG002/beauty"

# build the search key
search_type = "unittest/person"
code = "joe"
search_key = my.server.build_search_key(search_type, code)
context = "test_checkin"

# simple check-in of a file.
desc = 'A Simple Checkin'
snapshot = my.server.directory_checkin(search_key, context, file_path, description=desc)
print snapshot.get('snapshot')
```

Note that this code is very similar to single file check-ins (`simple_checkin()`), because TACTIC treats a directory check-in in a similar manner to a file check-in. It uses the leaf directory as the file name. It is important to consider naming conventions, because this leaf directory will be handled using file naming conventions even though it is a directory.

As with `group_checkin()`, this method already expects the files to have been uploaded to the server in the appropriate place. There are various modes that can be used to alter the manner in which the files get to the server repository. For details, see the "modes" section below.

Piecewise check-ins

TACTIC allows you to build up a check-in piecewise or stages. This is a powerful feature because you can build a check-in over the course of many operations (and many transactions if desired) and the whole set of operations will be treated as a single versioned entity. The TACTIC snapshot definition allows for the entry of multiple files into a single check-in. Typically, the process begins by creating a new "empty" snapshot. This snapshot is a placeholder which reserves a version and context for a particular set of future operations. Once this empty snapshot is created, you can start adding files and dependencies to it.

The following example checks in a Maya file and a corresponding OBJ file.

```
maya_path = "./test/chr001/chr001_model.ma"
obj_path = "./test/chr001/chr001_mode.obj"

# build the search key
```

```

search_type = "unittest/person"
code = "joe"
context = "test_checkin"
search_key = my.server.build_search_key(search_type, code)

# create an empty snapshot
desc = 'A Piecewise Checkin'
snapshot = my.server.create_snapshot(search_key, context, description=desc)
print "empty"
print snapshot.get('snapshot')

snapshot_code = snapshot.get('code')
snapshot = my.server.add_file(snapshot_code, maya_path, file_type='maya')
snapshot = my.server.add_file(snapshot_code, obj_path, file_type='obj')
print
print "two files"
print snapshot.get('snapshot')

```

Executing this code will result in the following:

```

empty
<snapshot/>

two files
<snapshot>
  <file name='chr001_model_v001.ma' file_code='1044BAR' type='maya' />
  <file name='chr001_model_v001.obj' file_code='1045BAR' type='obj' />
</snapshot>

```

First, an empty snapshot is created using `create_snapshot()`, then files are added to this snapshot one by one. Note that the type here is explicitly specified. This type differentiates one file in a snapshot from another.

It is also possible to add a sequence of files or even a directory to a snapshot:

```

pattern = "./test/miso_ramen.%0.4d.tif"
file_range = '1-24'
snapshot = server.add_group(snapshot_code, file_pattern, file_range, file_type='sequence')
print snapshot.get('snapshot')

directory = "./test/test_directory"
snapshot = server.add_directory(snapshot_code, directory, file_type='directory')
print snapshot.get('code')

```

Executing the last code snippet will give the following results:

```

<snapshot>
  <file name="mise_ramen.%0.4d.tif" file_code='1047BAR' type='sequence' />
</snapshot>

<snapshot>
  <file name="mise_ramen.%0.4d.tif" file_code='1047BAR' type='sequence' />
  <file name="test_directory" file_code='1047BAR' type='directory' />
</snapshot>

```

Checkin Modes

There are various modes that you can use to check in files. These modes determine how a file will be transferred to the repository.

- **upload:** Uploads the files to a temporary directory
- **copy:** Copies the files to the handoff directory
- **move:** Moves the files to the handoff directory.

The previous `simple_checkin()` example uses the "upload" mode. This means that the client will connect to the server and use an HTTP connection to upload the file to the server where it will be subsequently checked in. HTTP does not require any additional setup and it may be the only choice available for facilities having only WAN access to the TACTIC server. However, HTTP is a very slow transport protocol so, if possible, it is better and faster to use other available modes.

The copy and move modes use a "handoff" directory, which is an intermediate directory that is visible on the network to both the client machine and the TACTIC server. When the check-in is executed, the files are first copied or moved to this handoff directory. The TACTIC server is then notified and grabs the files and puts them into the repository, renaming as the naming conventions stipulate. The files are always "moved" from the handoff directory to the repository. The advantage of using these modes over the "upload" mode is that they go through NFS or CIFS. These modes make use of the fast networks and huge file servers that are available in typical media and production facilities.

The copy and modes require a bit of setup because the server and the client must be able to see the handoff directory. You need to configure the TACTIC server configuration file, located in `<site_dir>/config/tactic_<os>-conf.xml`. This file contains the following relevant settings:

- `win32_client_handoff_dir`: the handoff directory as seen from a Windows client
- `linux_client_handoff_dir`: the handoff directory as seen from a Linux client
- `win32_server_handoff_dir`: the handoff directory as seen from a Windows TACTIC server
- `linux_server_handoff_dir`: the handoff directory as seen from a Linux server

Note that the win32 settings apply to all flavors of Windows, including Windows 64-bit machines. The Linux settings apply to all POSIX machines including Debian base operating systems and Mac OS X.

After you set the configuration, you can then use the copy or move modes to take advantage of the handoff directory:

```
# simple check-in of a file using move mode
desc = 'A Simple Checkin'
snapshot = my.server.simple_checkin(search_key, context, file_path, description=desc,
mode="move")
print snapshot.get('snapshot')
```

Note that the only difference in this example from earlier check-in examples is that the mode parameter is set to "move".

Preallocated check-in (mode="preallocate")

Preallocated check-ins are the most efficient check-ins. Bandwidth and storage space are expensive commodities in a typical media or production facility, so there is a definite cost and time benefit to reducing their use as much as possible.

Preallocated check-ins enable a client process to be checked directly into the repository. They are recommended for check-ins that are very heavy in either bandwidth or disk usage and are designed to minimize both. Some production processes that would benefit from using this check-in mode include rendering frames, ingesting plates, simulating data, and so on.

The following steps describe the process for preallocating check-ins:

1. Create an empty snapshot to reserve a check-in version and context.
2. Ask for a path in the repository from the TACTIC server.
3. Create the files directly in the path given by the TACTIC server.

4. Inform TACTIC that the files have been placed in the appropriate location.

The path supplied by TACTIC in the preallocation is located directly in the repository. The process generating the files can thus save the files directly to the correct location in the repository (following all the predefined naming conventions). Files are created directly in the repository with the correct directory and file name as TACTIC would have checked them in using the other methods. This eliminates later having to copy or move files around the network unnecessarily, as is typically required by other check-in modes.

Because the `simple_checkin()`, `group_checkin()` and `directory_checkin()` functions perform the entire check-in process in one step, you cannot use them for preallocated check-ins. Instead, you would use a piecewise check-in to build up the checked in parts. The following is an example of a preallocated check-in using a piecewise approach:

```
search_type = "prod/render"
code = "XG002_beauty"
search_key = my.server.build_search_key(search_type, code)

# create an empty snapshot
desc = 'A Preallocated Checkin'
context = "render"
snapshot = my.server.create_snapshot(search_key, context, description=desc)

# get the preallocated path
snapshot_code = snapshot.get('code')
file_pattern = snapshot.get_preallocated_path(snapshot_code, file_type="main")
print "file_pattern: ", file_path

# generate the files
for i in range(1, 20):
    file_path = file_pattern % i
    render_file(file_path)

# add the files to the snapshot
snapshot = server.add_group(snapshot_code, file_type="main", file_range="1-20",
mode="preallocate")
print snapshot.get("snapshot")
```

Executing the above code would result in output something like:

```
file_pattern: XG002_beauty_v012.%0.4d.tif
<snapshot>
  <file name="XG002_beauty_v012.%0.4d.tif" file_code="123BAR" type="main"/>
</snapshot>
```

The file pattern returned is completely dependent on naming conventions. In this case, the `search_type` would have had to define a naming convention whereby the context of "render" produces the above file pattern. For example, the file naming convention code could include:

```
def prod_render(my):
    render = my.sobject
    ext = my.get_file_ext()

    parts = []
    parts.append( render.get_value('code') )
    parts.append( "v%0.3d" % my.snapshot.get_value("version") )

    file_name = "_".join(parts) + ".%0.4d" + ext
    return file_name
```

(See the naming convention documentation for more information on how to set up naming conventions.)

It should be noted that the function `get_preallocated_path()` returns a full path, including the filename as specified by the naming conventions. Ideally, TACTIC must be able to generate the correct path that can be used to save the files (as in the example above).

There is enormous advantage to using preallocated check-ins. Files are created directly to the repository, eliminating all of the unnecessary copying of files around the servers. When groups of files reach the multi-gigabyte or even terabyte range, it becomes prohibitively expensive to check in files in the traditional manner. Preallocated check-ins maximize the use of your internal system architecture.

In-Place Checkins

In general, the in-place check-in should be considered as the last resort. In-place check-ins do not make use of the TACTIC naming conventions, and may be the only option when you are confronted by a legacy directory structure. Using this check-in method makes the assumption that you will be able to later define logic that will map to a desired naming convention. As a guideline, naming conventions should be procedural and as simple as possible, so you must plan carefully before considering in-place check-ins.

Snapshot Dependency

Types of dependencies

Snapshots control versioning in TACTIC. When processing a checkin, TACTIC creates a snapshot that contains an XML description of what was checked in. Snapshots can also be dependent on any number of other snapshots (through a "ref" tag). Taking advantage of this dependency relationship, you can create complex dependency trees for complex scenes, with the option of undoing them if required.

There are two types of dependencies:

- hierarchical: The given snapshot contains the referenced snapshot
- input: The given snapshot used or was created from a referenced snapshot (but does not contain the contents of that snapshot)

Connecting snapshots

Dependencies are connected using the `add_dependency_by_code()` method, which takes an existing snapshot and adds the appropriate reference tag to it.

The following example shows how to connect two snapshots:

```
search_type = "prod/asset"
code = "chr001"
search_key = server.build_search_key(search_type, code)

# checkin a model
model_snapshot = server.simple_checkin(search_key, model_path, context="model")
model_snapshot_code = model_snapshot.get('code')

# checkin a rig
rig_snapshot = server.simple_checkin(search_key, rig_path, context="rig")
rig_snapshot_code = rig_snapshot.get('code')

# add the model dependency to the rig
snapshot = server.add_dependency_by_code(rig_snapshot_code, model_snapshot_code)
print snapshot.get('snapshot')
```

Executing the above example would output:

```
<snapshot>
  <file name="chr001_rig_v001.ma" file_code="123BAR" type='main' />
  <ref context='model' version='3' search_type='prod/asset?project=sample3d' search_id='4' />
</snapshot>
```

The ref tag is the reference to another checkin. In this case, the reference can be interpreted as being contained in the snapshot (that is, this is a hierarchical dependency).

Sometimes, it is not possible to store or retrieve version information for an SObject within a session if a particular application provides only the filename. It is generally assumed that a filename is unique for each search_type in each project (this is not strictly enforced, but should be as best practice), so it is possible to reverse-map a filename to a snapshot. In this case, you can try to add a dependency using the `add_dependency()` method:

```
file_path = extract_dependent_path()
snapshot = server.add_dependency(snapshot_code, file_path)
```

This method will attempt to link the filename with the appropriate snapshot.

Input references

As opposed to the previous example of hierarchical references, there is a second type of dependency called an input reference. Input references are dependencies where a particular snapshot was used to produce another snapshot, but the resulting snapshot does not contain the contents of the originating snapshot. As an example, a Photoshop file may be used to generate a texture map, but the texture map does not need to contain the Photoshop file.

Adding an input reference is simply a matter of setting the "type" argument to "input_ref":

```
source_path = "../test/texture.psd"
image_path = "../test/texture.tif"

# check in the photoshop file
source_snapshot = server.simple_checkin( search_key, context="source", file_path=source_path )
source_snapshot_code = source_snapshot.get('code')
source_repo_path = server.get_path_from_snapshot( source_snapshot_code )

# checkin the image
image_snapshot = server.simple_checkin( search_key, context="image", file_path=image_path )

# add an input dependency
image_snapshot_code = image_snapshot.get('code')
image_snapshot = server.add_dependency( image_snapshot_code, source_repo_path, type="input_ref" )
print snapshot.get('snapshot')
```

The above code would produce output like the following:

```
<snapshot>
  <file name="texture_image_v001.tif" file_code="123BAR" type='main' />
  <ref context='source' version='3' search_type='prod/asset?project=sample3d' search_id='4'
type="input_ref" />
</snapshot>
```

By managing dependencies at the time of each checkin, it is possible to build up a dependency tree. Thus each version of every checkin has its own independent dependency tree.

Custom Widgets

Widget Architecture

What are Widgets?

Widgets are drawable entities. They have the ability to draw themselves and also have the ability to contain other widgets and call on their drawing.

Widget Architecture?

The TACTIC interface is entirely built on top of widget architecture. A widget has a drawing mechanism which displays the widget. Widgets can contain any number of other widgets and pass information to them.

Certain widgets also make use of configuration xml documents in order to configure how they should be drawn. These configs are useful because they allow very quick and readable configuration of complex widgets. This document can also be stored in the database as a way of remembering the state of how to redraw a particular widget. This is widely used in TACTIC to store various parts of the interface in the database.

Every widget has a display method which completely controls how a widget is displayed. This display is recursive as each widget will call all of it's children's display method. In this manner, the entire interface is build up.

Widgets derive data to draw from subjects. Generally a search is performed to retrieve subjects which are then used to draw the widget. The widget itself can perform the search or it can recieve subjects from some external source.

Widget Config

Numerous widgets use configuration xml documents to help them draw their display. These widgets are considered to be "layout" widgets in that they generally use the configurations to determine what the child widgets are and how and where they are drawn within the parent layout widget. The widget config is an xml document which describes the child elements and how they should be display. The format is defined as follows.

```
<config>
  <VIEW>
    <element name='NAME' OPTION='VALUE'>
      <display class='CLASS_PATH'>
        <KWARG>VALUE</KWARG>
        <KWARG>VALUE</KWARG>
      </dispaly>
    </element>
    <element name='NAME' OPTION='VALUE'>
      <display class='CLASS_PATH'>
        <KWARG>VALUE</KWARG>
        <KWARG>VALUE</KWARG>
      </dispaly>
    </element>
  </VIEW>
</config>
```

Where capitalized words represent variable entries.

VIEW	The name of a view which encompasses a particular configuration. There can be any number of views in a configuration documentation
OPTION	An option defining a state or setting of this element. This information does not get passed to the element widget

VALUE	A value or a particular argument or options
CLASS_PATH	The fully qualified python path of the widget class
KWARG	A kwarg that is passed to the class on construction

A simple example of a configuration is as follows:

```
<config>
<simple>
  <element name='email'>
    <display class='custom.MyCustomWdg'>
      <title>My Widget</title>
    </display>
  </element>
</simple>
</config>
```

In this case, the "simple" view defines a single element called "email". This element

The configuration document can contain any number of "views". Each "view" can contain any number of elements. Inside each element, there are xml snippets which represents an xml serialization of a widget. In the example above:

```
<display class='custom.MyCustomWdg'>
  <title>My Widget</title>
</display>
```

translates into python server code as follows:

```
from custom import MyCustomWdg
widget = MyCustomWdg(title='My Widget')
```

TACTIC uses this format extensively to serialize widgets to the database. Although any source can be used, the config is most often defined in the widget config table of a particular project.

There are a couple of layout classes that make heavy use of the widget config.

SideBarWdg:

TableLayoutWdg: this class is the used to display most tabular data in TACTIC. It contains many features to make the display of tabular data dynamic and flexible. Views can be customized and saved. It is probably the most used layout class in TACTIC. It makes heavy use of the widget config for its display. It's importance is sufficient to warrant a section on its own below.

CustomLayoutWdg: this class makes use of a special version of the config. It defines elements, but they are defined within an html tag, allowing for precise layout of elements using HTML. This allows for very flexible layouts while still being able make use of TACTIC widgets.

SideBarWdg

The SideBarWdg defines the look of the side bar on the left of the TACTIC interface. The SideBarWdg makes heavy use of the widget config to determine the contents of the side bar. There are 3 main types of widgets that would be defined as elements in the SideBarWdg:

- LinkWdg
- FolderWdg (Currently SectionWdg)
- SeparatorWdg

The top level view for the project views can be found in the widget config table with the criteria:

- search_type = 'SideBarWdg'
- view = 'project_view'

This will defined a list of elements that appear in the top level of the "Project View". An example would look like the following:

```
<config>
  <project_view>
    <element name='summary' />
    <element name='modeling' />
  </project_view>
</config>
```

Although, you could defined the display section here, there are hierarchical definitions to the elements. If a definition is not found inline, TACTIC will look at the the database for the specially named "definition" view.

- search_type = 'SideBarWdg'
- view = 'definition'

```
<config>
  <definition>
    <element name='summary' title='Asset Summary'>
      <display class='LinkWdg'>
        <class_name>tactic.ui.panel.ViewPanelWdg</class_name>
        <search_type>prod/asset</search_type>
        <view>summary</view>
      </display>
    </element>
    <element name='modeling' title='Modelling'>
      <display class='FolderWdg'>
        <view>modeling</view>
      </display>
    </element>
  </definition>
</config>
```

Both the summary and modeling elements are defined in this special "definition" view"

Since all of the folders at all levels cascade to look at the "definition" view, it is useful to always define defintions of elements in the "definiton" view. This will allow a consistent definition for all of the "views" in the project view.

The "summary" view is defined as a LinkWdg. This widget takes the information defined in the options and then displays that class in the main body of the TACTIC interface.

```
widget = ViewPanelWdg( search_type='prod/asset', view='summary' )
```

As stated ealier, the ViewPanelWdg, combines a SearchWdg with a TableLayoutWdg.

The second element defines a "modeling" folder. Whe a folder is click, it will open up and display another list that is derived from the "modeling" view.

TableLayoutWdg

This widget is the primary class used in TACTIC to lay out tabular data. It makes heavy use of widget config to define what to display.

To display the rows and columns of the tabular layout, this widget makes use of the following:

- a) rows which are subjects

b) columns which are widgets derived from BaseTableElementWdg.

The table layout widget is able to perform a search base on input criteria. It is also able to receive sobjects through its set_objects() method.

This widget iterates through each of the sobjects per row.

For each column, the table draws the list of widgets provided by the config. This config is typically defined in in the database in the widget config table.

Two parameters are typcially used to find a particular widget config.


a) Search Type

b) View

BaseTableElementWdg

BaseTableElementWdg are extensively used in the UI. Each column in a table you see in TACTIC derives from it. For examples of how to create your own, please refer to the Widget Development section.

Custom Layout Editor



What the Custom Layout Editor Provides

The Custom Layout Editor allows you to have complete control over the look and feel of TACTIC using many of the standard web technologies (HTML, CSS and Javascript). With this tool, you can build your own TACTIC components (called widgets) that have the ability to interact with one another intelligently, making it easier for you to design your very own TACTIC interface.

HTML

Custom Layouts enable the laying out of custom widgets using standard HTML.

Element Tag

TACTIC Custom Layout introduces a new html tag `<element>` which allows for TACTIC widgets to be embedded into HTML.

There are two formats for a TACTIC element: a short form and a long form:

short form:

```
<element view='forms/my_form' />
```

long form:

```
<element>
  <display class='tactic.ui.panel.CustomLayoutWdg'>
    <view>forms/my_form</view>
  </display>
</element>
```

```
</display>
</element>
```

This ability to reference other views and elements makes it easy to keep a top level view that draws from other views.

For display class names of other widgets, see section on Common Widgets.

Styles

You can create styles for each view in the Styles tab. However, most of the time it will be useful to reference a central stylesheet for a number of views.

In order to include a top level stylesheet, you can create an empty view with only styles defined and include these styles into other top level views, just as how you would reference a normal view.

For example, you can create a view called 'common/styles' and add this line to the HTML of a view where you want the styles to appear.

```
<element view='common/styles' />
```

Behaviors

TACTIC's behavior system makes use of standard JavaScript behaviors with the added functionality of some built-in classes.

Here are two ways to add an alert behavior to a button class called 'my_button'.

```
<behavior class="my_button" event='click_up'>
alert('Hello World');
</behavior>

<behavior class='my_button'>{
  'type': 'click_up',
  'cbjs_action': ''

  alert('Hello World');

  ''
}</behavior>
```

Here are the types of events that the TACTIC behavior system has built-in support for:

```
click_up | click | wheel | double_click | drag | hover | move | change | blur | mouseover |
mouseout | keyup | keydown | listen
```

You can set the behavior class to activate upon the firing of another event using the 'listen' type event.

```
<behavior class='my_button'>{
  'type': 'click_up', 'cbjs_action': ''
  spt.named_events.fire_event('my_event_trigger'); ''
}</behavior>

<behavior class='my_class'>{
  'type': 'listen',
  'event_name': 'my_event_trigger',
  'cbjs_action': ''

  alert('Hello World');

  ''
}</behavior>
```

When the behavior is applicable to a specific HTML element (eg. click, click_up, mouseover, etc.), you can get element for which the behavior originated from using the 'bvr.src_el' (Behavior Source Element) tag.

```
var table = bvr.src_el.getParent('.my_table');
var cells = table.getElements('.my_cells');
cells.setStyle('background', 'red');
```

TACTIC's powerful framework comes with many API functions that make developing for TACTIC easier. Here are some common ones.

Show loading popup:

```
spt.app_busy.show('Saving data...')
```

Hide loading popup:

```
spt.app_busy.hide()
```

Load an element:

```
spt.panel.load(element_name, class_name, kwargs)
```

Load an element into a popup:



```
spt.panel.load_popup(element_name, class_name, kwargs)
```

Close a popup:

```
spt.popup.close(popup_element)
```

Images

Images can be checked into TACTIC and used in interface design. In the Files tab, you can check in images using the Check-in wizard.

<input type="checkbox"/>	Preview	Files	Web Path	File Size
<input type="checkbox"/>			/assets/tims/widget_config/WIDGET_CONFIG05545/publish/logo_publish.jpg	4.8 KB

Once the file is checked in, you use the web path as the URL of the image.

Mako

The custom layout engine embeds the Mako, a powerful templating engine which allows you to embed Python scripts and logic within HTML. Here is a simple example for its usage.

```
<div>
<%
my_car = 'A ferrari'
%>
</div>
<p>${my_car}</p>
```



Mako makes passing and accessing of data in TACTIC easy, especially combined with the support of XML by TACTIC widgets for passing arguments.

The 'kwargs.get' function can be used to get the value of an XML attribute of an element, whether it is an attribute already supported by the element or an arbitrary one. Here is an example of setting a value for an arbitrary attribute.

HTML code in top level view:

```
<element>
  <display class='tactic.ui.panel.CustomLayoutWdg'>
    <view>my_forms.photoshoot_form</view>
    <args>Hello</args>
  </display>
</element>
```

HTML code in a view named 'my_forms.photoshoot_form':

```
<element>
  <display class='tactic.ui.input.TextInputWdg'>
    <default>${kwargs.get("args")}</default>
  </display>
</element>
```

For the example above, the text field will be populated with the string 'Hello'.

Most of the time, it will be beneficial to use Mako to pass search keys from one view to another. That's covered in a bit more detail in the Creating Forms section of this document.

Creating Forms

Forms provide an interface for updating TACTIC data. The Custom Layout Editor makes the creation of forms easy with built-in widgets and functions.

TACTIC already has some predefined input widgets that can be used as input fields for forms, and they are referenced like any other widget.

TextInputWdg

SelectWdg

TextAreaWdg

CalendarInputWdg

ActionButtonWdg

```
<element name='my_text_input_field'>
  <display class='tactic.ui.input.TextInputWdg'>
    <default>Hello</default>
    <width>100px</width>
  </display>
</element>
```

You can find more details on the exact XML attributes that are supported by each widget in the Common Widgets section.

Here are some useful functions for generating forms.

```
spt.api.get_input_values(div_container)
```

This gets the values of the all the input fields of a div as an array with the attributes being the names of the element names.

```
server.update(search_key, data)
```

This updates an object with data that is passed in as an array.

The search key is a key that uniquely identifies an object.

Here is an example of usage of both for updating a TACTIC task through a form.

In this example, the search key of an object is passed into the view through a list of keyword arguments, and it is kept as a hidden input for ease of access. The clicking of the save button activates the behavior for saving the form.

```
HTML: <div class='spt_form'>
  <input type="hidden" name="spt_search_key" value="{kwargs.get('search_key')}" />
  <element name='spt_status'>
    <display class='SelectWdg'>
      <values>Assigned|Pending|Approved|Waiting</values>
      <search_key>{kwargs.get("search_key")}</search_key>
    </display>
  </element>

  <input type="button" class="spt_save_button" value="Save >>" />
</div>

JavaScript:

<behavior class="spt_save_button" > {
  "type": "click",
  "cbjs_action": ''
  //gets the parent of the behavior source element
  var top = bvr.src_el.getParent('.spt_form');

  //gets all the input values
  var values = spt.api.get_input_values(top);

  var data = {
    //gets value of element named 'spt_status'
    //sets it as the value of the 'status' column for the task object
    status: values.spt_status;
  }

  search_key = values.spt_search_key;
  server.update(search_key, data) ''
}
```

Tips and Techniques

Handling None:


The default value for the empty string in Python is the word "None". This does not help very much when you want to obtain something like the search key of an object because if there is no search key, instead of getting an empty string, you get the string "None". And if you try to pass "None" into an element, an error will likely result.

The way to work around that is to add an "or" at the end of your kwargs.get function.


```
ie: kwargs.get("search_key") or ""
```

Embed Elements:

A shortcut for embedding elements into the HTML is by clicking on the gear menu.



Similarly, if you would like to inject another view into your current view, you can do so by right clicking on the view you want to inject.



Element Name as Column of sObject:

If you pass a search key into an element, it automatically takes the element name as the column if you do not specify one. In the example below, the text input will display the id of the sObject with the given search key.

```
<element name="id">
  <display class="tactic.ui.input.TextInputWdg">
    <search_key>${search_key}</search_key>
    <width>100px</width>
  </display>
</element>
```

Custom Widget Basics

Introduction

Although any execution environment can interact with TACTIC by interfacing through the Client API, most often, users will be interacting with TACTIC through the browser. TACTIC's main interface is the browser. All browsers come with the Javascript language interpreter built-in and thus any rich interface that integrates with TACTIC will need to interact with the various components using Javascript.

Three core frameworks in TACTIC work together to create a rich web interface.

- CustomLayoutWdg: provides the ability to create the visual interface by laying out widgets using HTML templating
- Behaviors: provides a framework to create complex behaviors that is much easier to use than the browsers default event system.
- Applet: provides the interaction to the client machine to do operations that the browser would otherwise not be permitted to do

Accessing the server from Javascript

The TACTIC Client API can access server functionality through the `TacticServerStub` in the same manner as its Python equivalent. Note the similarities in code structure in the following example:

Python code:

```
server = TacticServerStub.get()
snapshot = server.checkin(search_key, context, path, mode="upload")
print snapshot.get("code")
```

Javascript code:

```
var server = TacticServerStub.get();
var snapshot = server.checkin(search_key, context, path, {mode: "upload"} );
alert(snapshot.code)
```

There are a few differences due to the syntax of the two different languages. Keyword arguments are not natively supported by Javascript. Since some of the functions in the server stub have numerous arguments, it is desirable to only use those that are needed without having to "fill in" all of the preceding arguments with nulls.

For example, the previous Javascript code would have to read like the above:

```
server.checkin(search_key, context, path, null, null, null, null, "upload")
```

In general, a given function will have a few necessary arguments and all "optional" arguments are given in a kwargs dictionary. Another difference is that the subjects returned are Javascript "objects" whose members are values from the database. Attributes can be accessed in two ways:

1. `code = snapshot['code']`
2. `code = snapshot.code`

Testing Javascript

The most convenient method to test and implement the Javascript examples is in the TACTIC Script Editor. This can be conveniently accessed by pressing the "9" hot key to bring it up. Alternatively, the TACTIC Script Editor can be brought up under the gear menu under: **Tools -> TACTIC Script Editor**.

The CustomLayoutWdg:

This is a simple "Hello World" example.

```
<html>
  <h1>Hello World</h1>
</html>
```

The XML document embeds an HTML tag that will be used to layout elements in the application.

Example 01: Hello World

The simplest way to view this is to open up the TACTIC Script Editor and input the following code:

```
var html = "<html><h1>Hello World</h1></html.>";
var kwargs = {
  'html': html
};
spt.panel.load_popup('Hello', 'tactic.ui.panel.CustomLayoutWdg', kwargs);

// NOTE: this should be:
// spt.api.load_popup('Hello', 'tactic.ui.panel.CustomLayoutWdg', kwargs);
```

This previous code is completely in Javascript, however, layout pages using strings in Javascript rapidly becomes unwieldy. It is thus preferential to create these layouts using the widget config. This is done by going to the side bar and going to **Project Admin -> Widget Config**. This will open up the "widget_config" table. This table is used to store all custom interface configurations for widgets.

Create a new entry by pressing the [+] button on the right side. Input the following into the **config** field and for **view** input *example01*.


```
<config>
<example01>
<html>
  <h1>Hello World</h1>
</html>
</example01>
</config>
```

This is the full XML document describing the widget config. Note that the HTML is now embedded within that XML document. This will be important to know later when behaviors and elements are added to the widget.

Finally, in the TACTIC Script Editor, enter the following:

```
kwargs = {
  view: 'example01'
};
spt.panel.load_popup('Example01', 'tactic.ui.panel.CustomLayoutWdg', kwargs);
```

The following will appear when you click on "Run" in the TACTIC Script Editor the script above:



Example 02: Adding to button with a behavior

Add a new entry to the widget_config table with view = 'example02' and with the following config definition.

```
<config>
<example02>
<html>
  <span>This is a button:</span>
  <input type='button' class='button1' value='Press Me' />
</html>
<behavior class='button1'>{
  "type": "click_up",
  "cbjs_action": ''
    alert('Hello World');
  ''
}</behavior>
</example02>
</config>
```

In this example, an HTML button is added to the HTML layout. By default, a button doesn't do anything when it is clicked. A behavior has to be added for something to happen. TACTIC behaviors are added to DOM elements by their class attributes.

When the button is clicked (corresponding to the "click_up" event type), the Javascript in the "cbjs_action" attribute is executed. This example will alert a "Hello World" message on clicking.

Example 03 – Using form value

The following example will add a text area to the interface as well as extract information from that text area once the button has been clicked.

```
<?xml version='1.0' encoding='UTF-8'?>
<!-- This examples displays some html UI and then reacts to it using the TACTIC
      behavior system -->
<config>
<example03>
<html>
<div class='spt_top'>
  <textarea name='description' class='spt_input'></textarea>
  <input type='button' class='spt_button1' value='Press Me' />
</div>
</html>

<behavior class='spt_button1'>{
  "type": "click_up",
  "cbjs_action": ''
    var top = bvr.src_el.getParent('.spt_top');
    var values = spt.api.Utility.get_input_values(top);
    var description = values.description;
    alert('You entered: ' + description);
  ''
}</behavior>

</example03>
</config>
```

Note that currently, `get_input_values()` requires that every input element have `class='spt_input'` attribute. Future versions may remove this requirement, but currently this is necessary.

Please note that when an API for 2.6/2.7, the following lines will be changed:

```
The following line:
var values = spt.api.Utility.get_input_values(top);
will be replace by:
var values = spt.api.get_input_values(top);

The following line:
var top = bvr.src_el.getParent('.spt_top');
will be replaced by:
var top = spt.api.get_parent(bvr.src_el, ".spt_top");
```

The behavior definition warrants a closer examination:

```
<behavior class='spt_button1'>{
  "type": "click_up",
  "cbjs_action": ''
  var top = bvr.src_el.getParent('.spt_top');
  var values = spt.api.Utility.get_input_values(top);
  var description = values.description;
  alert('You entered: ' + description);
  ''
}</behavior>
```

First, there is an implied `bvr` object that exists in the namespace of the behavior. This `bvr` objects contains useful data for the purposes of executing behaviors. The most important attribute is `"bvr.src_el"`. This element is the source element that called the event. This element can be used as a starting point to navigate the DOM to search for elements.

```
var top = bvr.src_el.getParent('.spt_top');
```

It is common practice to find a top level element of a widget from the source element. This top element is a starting point from which searches under a DOM hierarchy can be made. By starting from a top element, it is ensured that the returned values are isolated to that single widget.

The next line gets all of the values of all of the input elements under the top element.

```
var values = spt.api.Utility.get_input_values(top);
```

This returns a dictionary of name/value pairs of all of the input elements underneath the top element.

Example 04 - Adding Expressions

By adding expressions to a report, it becomes very easy to create reports that extract important information and combine it into a single view.

```

<?xml version='1.0' encoding='UTF-8'?>
<config>
<example04>
<html>
  <h1>My login is [expr]$LOGIN[expr]</h1>
  <table>
    <tr><td>Number of tasks</td><td>[expr]@COUNT(sthpw/task)[/expr]</td></tr>
    <tr><td>Number of checkins</td><td>[expr]@COUNT(sthpw/snapshot)[/expr]</td></tr>
    <tr><td>Number of model checkins</td>
      <td>[expr]@COUNT(sthpw/snapshot['context','model'])[/expr]</td>
    </tr>
  </table>
</html>
</example04>
</config>

```

Expression can be added into the html code by inserting it between [expr][/]expr tags. The expression will be evaluated and the result will be replaced into the html. This provides an ability to layout an arbitrary layout in javascript and then fill in the missing data with expressions. The full power of the TACTIC expression language is available. Please refer to the expression language reference for more information on the expression language.

Example 05: Mako integration (2.6.0+)

The CustomLayoutWdg can make use of the Mako templating engine to create dynamic content. Mako is a powerful templating system similar in concept to PHP, but instead uses the Python programming language. The expression language on its own is quite powerful, but it is still an expression language and sometimes, it is necessary to have full programming logic. Mako provides a path to create content that is too complex for the expression language to handle alone.

The following example shows a report generated with the help of Mako:

```

<?xml version='1.0' encoding='UTF-8'?>
<!-- Simple test using mako templating -->
<config>
<example06 include_mako='true'>
<html>
<div>
<![CDATA[
<%
  # get some data
  total = 0
  for ctx in ['model', 'texture', 'rig']:
    num_snapshots = server.eval("@COUNT(sthpw/snapshot['context','%s'])" % ctx)
    context.write("Number of %s checkins: %s<br/>" % (ctx, num_snapshots) )
    total += num_snapshots
  %>
  Total number of tasks: ${total}<br/>

]]>
</div>
</html>
</example06>
</config>

```

Mako is not enabled by default. This must be done with the "include_mako" attribute:

```

<example06 include_mako='true'>

```

All code between `<%` and `%>` tags are parsed as python code and executed on the server. In order to write out to the html, Mako uses the `context.write()` method. This is important to note because the "context" is a reserved word in Mako. This can cause a confusing error because context is a common variable name when programming in TACTIC.

```
context.write("Number of %s checkins: %s<br/>" % (ctx, num_snapshots) )
```

The python code with the python block can still make use of the entire TACTIC Client API through the use of a builtin variable "server". This also means that expressions can be accessed here as well:

```
num_snapshots = server.eval("@COUNT(sthpw/snapshot['context','%s'])" % ctx)
```

Also note that the entire Mako code is wrapped around an XML CDATA block (`<![CDATA[...]]>`). This is because python code very easily breaks XML integrity rules. The CDATA block allows for any special characters to be entered in the XML document. It is good practice to add the CDATA tags in order to avoid errors later on.

Any variables that are declared in python blocks can be accessed outside of the python blocks using the `#{var}` syntax. The following will replace `#{total}` with the corresponding variable defined in the python block.

```
Total number of tasks: #{total}<br/>
```

Combining the expression language with Mako Templating provides unlimited flexibility in creating complex reports.

Example 07 - Using a CustomLayoutWdg inside of a TableLayoutWdg

The CustomLayoutWdg can be used inside of a table element. This makes it easy to create arbitrarily complex table elements within a standard TACTIC table layout widget. The following displays the number of tasks for the row subject.

```
<config>
<my_view>
<element name='num_tasks'>
  <display class='tactic.ui.panel.CustomLayoutWdg'>
    <html>
      <div class='top'>
        <b>[expr]@COUNT(sthpw/task)[/expr] tasks</b>
      </div>
    </html>
    <behavior>{
      'type': 'load',
      'cbjs_action': ''
      var search_key = bvr.kwargs.search_key;
      alert(search_key)
    }
  </behavior>
</display>
</element>
</my_view>
</config>
```

This element behaves just like the previous CustomLayoutWdg, however there are a few additions. There is a starting subject that corresponds to the table row that is passed in and is used as the starting subject for all expressions. The following expression finds the number of tasks for the subject in question and not all of the tasks in the system.

```
<b>[expr]@COUNT(sthpw/task)[/expr] tasks</b>
```

Another addition is that callbacks have the search key of the subject for the row available through the bvr object passed into the behavior callback.

```
var search_key = bvr.kwargs.search_key;
```

With the search key, it becomes possible to use the client API to change data or checkin files for that specific subject.

Example - Connecting to the server from Javascript

It is often necessary to be able to interact with the server using Javascript in a behavior callback. This is done using the Javascript implementation of the TACTIC Client API

The following example illustrates how to interact with the server using the TacticServerStub object. This object is used to issue commands that will be run on the server such as updating data in the database or checking in files.

First, add any image in "C:/Temp/test.jpg"

```
<?xml version='1.0' encoding='UTF-8'?>
<config>
<example04>
<html>
<div class='spt_top'>
  <textarea name='description' class='spt_input'></textarea>
  <input type='button' class='spt_button1' value='Press Me' />
</div>
</html>

<behavior class='spt_button1'>{
  "type": "click_up",
  "cbjs_action": '''
    var top = bvr.src_el.getParent('.spt_top');
    var values = spt.api.Utility.get_input_values(top);
    var description = values.description;

    var applet = spt.Applet.get();
    var paths = applet.open_file_browser("C:/Temp");
    var path = paths[0];

    var search_key = bvr.kwargs.search_key();

    var server = TacticServerStub.get();
    server.checkin(search_key, "icon", path, {description: description});
    '''
}</behavior>

</example04>
</config>
```

The applet is used to interact with the client machine. It defines a number of useful methods such as listing directories, moving and copying files, uploading and downloading files. For a complete list of the functionality present in the applet, please refer to the Applet Reference manual. In this case, the example is using the applet to open up a file browser so the user can select a file.

```
var applet = spt.Applet.get();
var paths = applet.open_file_browser("C:/Temp");
var path = paths[0];
```

The search key can be obtained from the behavior. This will be required to check into the correct subject.

```
var search_key = bvr.kwargs.search_key();
```

Once a file path has been selected, the server stub is used to check in the file to the server.

```
var server = TacticServerStub.get();
server.checkin(search_key, "icon", path, {description: description});
```

Example 10 - Converting to a button

Generally, it is not desirable to show a full interface for the checking directly in the table cell. It is much cleaner to have a simple publish button that will open up the interface in a pop-up.

Example 11 - Integrating Server Side widgets

Many widgets are defined on the server side. These can be integrated in a custom interface by using the TACTIC specific <element> tag in the html definition of a CustomLayoutWdg.

```
<config>
<example11>
<html>
  <h1>This is a list of users</h1>
  <element name='users' />
</html>
<element name='users'>
  <display class='tactic.ui.panel.TableLayoutWdg'>
    <search_type>sthpw/login</search_type>
    <view>table</view>
  </display>
</element>
</example11>
</config>
```

Widget Development (Advanced)

As of 2.5, all widgets are derived from BaseRefreshWdg. This refresh widget is a new style widget which has some added functionality allowing to to be "smart" enough to refresh itself. It also standardizes the interface for passing construction parameters to the widget. All new-style widgets take kwargs (keyword arguments) as arguments to the constructor.

```
widget = MyWidget(option1=value1, option2=value2)
```

All new style widgets defines a class constant ARGS_KEYS which return a dictionary of defined and allowable arguments:

```
ARGS_KEYS = {
    "mode": {
        'description': "The mode of this widget",
```

```

        'type': 'SelectWdg',
        'values': 'insert|edit|view',
        'default': 'insert',
        'category': 'Options'
    },
    "search_type": {
        'description': "SType that will be inserted or edited",
        'category': 'Options',
        'order': 0,
    },
    "title": {
        'description': "The title to appear at the top of the layout",
        'category': 'Options',
    },
    "view": {
        'description': "View of item to be edited",
        'category': 'Options',
        'order': 1,
    }
}

```

TACTIC provides the ability to create your own widgets and integrate them seamlessly into the TACTIC interface.

There are 3 main types of widgets:

Widget: A widget derived from a the base Widget class is a free standing widget that requires no parent widget. Examples can be found in `tactic.ui.widget`.

Table Element Widget: An element widget is a widget that needs expected to be put inside a `TableLayoutWdg`. Examples can be found in `tactic.ui.table`.

Input Widget: An input widget is a widget that requires one or more values to put entered or extracted. Examples can be found in `tactic.ui.input`.

Create your own custom widget

You can create your own custom widgets in Tactic that become completely integrated in the user interface.

All widgets are derived from the base Widget (`pyasm.web.Widget`) class. But starting from version 2.5, we encourage developers to derive from the `BaseRefreshWdg` in `tactic.ui.common`. This class defines the fundamental functionality required for all widgets that appear in TACTIC. To create your own widget, you can derive from this class.

Hello World

In order to start showing how custom widgets can be created, we will start with the base "Hello World" widget. Create a folder called "widgets" and then create a new file called "hello_world_wdg.py" in this new folder. The following is a recommended folder structure:

```

home
|_ apache
    |_ custom
        __init__.py <- this file is empty
        |_ widgets
            __init__.py <- this file contains this line : from hello_world_wdg import *
            hello_world_wdg.py

```

In the file, add the following lines:

```

__all__ = ['HelloWorldWdg']

from tactic.ui.common import BaseRefreshWdg

```

```
class HelloWorldWdg(BaseRefreshWdg):
    def get_display(my):
        return "Hello World"
```

In order for TACTIC to be able to use this class, TACTIC must be able to see this file: this "custom" folder must be either in the PYTHONPATH or in sys.path of the TACTIC process (you can alternatively, use any class that complies with Python's module handling).



Note

You can also use the python_path variable in the TACTIC config file to add paths to the sys.path dictionary like this:

```
<services>

<python_path>/home/apache/custom</python_path>


...

</services>
```

In order to view this widget quickly, you can open up the javascript editory and type:

```
spt.panel.load("main_body", "widgets.hello_world_wdg.HelloWorldWdg");
```

and press the "Run" button. You should see the following:



Note that the title does not change. This is something that the link will do automatically.

Formatting the Widget

We could format the widg a little more using some basic HTML widgets.

```
__all__ = ['HelloWorldWdg2']
from tactic.ui.common import BaseRefreshWdg
from pyasm.web import DivWdg

class HelloWorldWdg2(BaseRefreshWdg):
    def get_display(my):
        top = DivWdg()
        top.add_style("font-size: 15px")
        top.add_style("margin: 30px")
        top.add_style("padding: 30px")
        top.add_style("width: 150px")
        top.add_style("text-align: center")
        top.add_style("border: solid 1px black")
```

```
top.add("Hello World")

return top
```


Adding this to a file called `hello_world_wdg2.py`. Put it in `/home/apache/custom/widgets/`. Edit the `__init__.py` file in this folder, the content would look like this :

```
from hello_world_wdg import *
from hello_world_wdg2 import *
```

and then in TACTIC Script Editor (Press the shortcut key 9 to bring it up), type:

```
spt.panel.load("main_body", "widgets.hello_world_wdg2.HelloWorldWdg2");
```

Pressing the "Run" button gives:



HTML

Here we introduce the basic HTML widget `DivWdg`. The `add_style()` allows you to add arbitrary CSS styles to the widget. There are various operations that can be added to HTML widgets that are useful for formatting the layout of the page. These methods include:

- `set_attr(name, value)`
- `add_style(name, value)`
- `add_class(css_class)`
- `add_event(event, js_action)`

There are few useful predefined widgets that sit on top of `HtmlElement`:

- `DivWdg`
- `SpanWdg`
- `Table`

These are all based of of `HtmlElement` which are basic html elements and provide a thin layer above HTML. `HtmlElement` also defines a number of static constructors to address most HTML elements:

- `HtmlElement.br()`

- `HtmlElement.p()`
- `HtmlElement.br()`

These return variations of `HtmlElement` that represent the different HTML elements. These are useful for laying out a complex widget. All HTML elements and their properties are accessible from these.

Using other widgets

You can add other predefined widget, for example, the `CalendarWdg`

```
__all__ = ['HelloWorldWdg3']
from tactic.ui.common import BaseRefreshWdg
from pyasm.web import DivWdg

from tactic.ui.widget import CalendarWdg

class HelloWorldWdg3(Widget):
    def get_display(my):
        top = DivWdg()
        top.add_style("font-size: 15px")
        top.add_style("margin: 30px")
        top.add_style("padding: 30px")
        top.add_style("width: 200px")
        top.add_style("text-align: center")
        top.add_style("border: solid 1px black")

        top.add("Hello World")


        calendar = CalendarWdg()
        top.add(calendar)

    return top
```

Adding this to a file called `hello_world_wdg3.py` and then in javascript editor, type:

```
spt.panel.load("main_body", "widgets.hello_world_wdg3.HelloWorldWdg3");
```

Pressing the "Run" button gives:



This adds one of the predefined widget "CalendarWdg". Widgets are hierarchical and can be added to other widgets. Any widget can embed any other widget within it's display. This provides a very flexible architecture for building up complex hierarchical widgets.

Create your own table element widget

There is a special class of widgets that are designed to be used in conjunction with TableLayoutWdg, the primary widget used for laying out tabular data. These widgets should be derived from BaseTableElementWdg, which extends the basic Widget class with a number of specific methods.

The TableLayoutWdg uses it's child widgets slightly differently than most widgets. It creates a single widget for each column and calls the get_display() method repeatedly for each row; each row representing a single subject. Each element widgets does have knowledge of all of the subjects, however, for each row, there will be a current subject set. This means that the widgets get_display() method will be called repeatedly for each row. So, instead of operating on a list of widgets, the table element widget should get the current widget using the "get_current_widget()" method.

The following is a simple example of a table element widget.

```
from pyasm.web import DivWdg
from tactic.ui.common import BaseTableElementWdg

class MyElementWdg(BaseTableElementWdg):
    def get_display(my):
        subject = my.get_current_subject()
        first_name = subject.get_value("first_name")
        last_name = subject.get_value("last_name")
        div = DivWdg()
        div.add("%s %s" % (first_name, last_name) )
        return div
```

The class is almost identical to a regular class, except that it is derived from BaseTableElementWdg and that it uses get_current_subject() to get the current subject being drawn. This widget still has access to all of the subjects in all of the rows, through get_subjects(), if this is necessary.

To test this, save the code above in a file called my_element_wdg.py and enter this into the javascript editor:



Note


This only works in 2.6: in 2.5, you have to create the view in the widget config table

```
var config = " \
<config><test> \
<element name='name'> \
  <display class='custom.my_element_wdg.MyElementWdg' /> \
</element> \
</test></config>";

var args = {
  'search_type': 'sthpw/login',
  'view': 'test',
  'config_xml': config,
  'do_search': 'true'
};

spt.panel.load("main_body", "tactic.ui.panel.TableLayoutWdg", args);
```

Pressing the "Run" button gives:



Your custom table element widget completely integrates within the TACTIC interface. You can add other widgets by expanding the config definition.

```
var config = " \
<config><test> \
<element name='preview' /> \
<element name='name'> \
  <display class='custom.my_element_wdg.MyElementWdg' /> \
</element> \
<element name='email' /> \
</test></config>";

var args = {
  'search_type': 'sthpw/login',
  'view': 'test',
  'config_xml': config,
  'do_search': 'true'
};
spt.panel.load("main_body", "tactic.ui.panel.TableLayoutWdg", args);
```





This adds a preview and an email column (which are predefined for sthpw/login search type) and appear with your custom widget.

TACTIC
Release: 2.6.0.a01

CG Production ⚙️

System Administrator [ch]

11 items found Showing: 1 - 11 ⚙️

Preview	Name	Email
	Albert Modeller	albert@tacticanimation.com
	Cindy Prod Supervisor	cindy@tacticanimation.com
	Fil Previz	fil@tacticanimation.com
	Garth Rigger	garth@tacticanimation.com

Project Views

- My TACTIC
- Production Management
- Preproduction
- Look Development
- Modeling
- Surfacing
- Rigging
- Layout
- Animation
- Lighting
- Compositing
- Editorial


My views
— No items —

Admin views

- My Admin
- Manage My Views

BaseTableElementWdg

This example describes how to create your own BaseTableElementWdg to execute a server-side command. The user can type some words in the text field, and then click on the "Action" button. The words will be written as the content of a file in the /tmp folder of the server. In the tactic config file, tactic-conf.xml in <TACTIC_DATA_DIR>/config, let's say the python_path is '/home/apache/custom'. You can create a file called custom_wdg.py and __init__.py in it.



Here is the content of __init__.py:

```
from custom_wdg import *
```

Here is the content of custom_wdg.py:

```
__all__ = ['CustomToolElementWdg', 'CustomCmd']

from tactic.ui.common import BaseTableElementWdg
from tactic.ui.widget import ActionButtonWdg
from pyasm.web import HtmlElement, SpanWdg
from pyasm.widget import TextWdg
from pyasm.command import Command

class CustomToolElementWdg(BaseTableElementWdg):

    def get_display(my):

        top = DivWdg()
        top.add_class('spt_custom_tool_top')
        text = TextWdg('user_input')

        action_button = ActionButtonWdg(title='Action', tip='Write a file in /tmp based on the
data in the text field')
        action_button.add_behavior({'type': 'click_up',
            'cbjs_action': '''var server = TacticServerStub.get();
            try {
                var top = bvr.src_el.getParent(".spt_custom_tool_top");
                var values = spt.api.get_input_values(top, null, false);

                # this path is assumed importable in your Python environment
                server.execute_cmd('custom_wdg.CustomCmd', values);
            }
            catch(e) {
                alert(spt.exception.handler(e));
            }
            '''})

        top.add(SpanWdg('Input:', css='small'))
```

```
        top.add(text)
        top.add(HtmlElement.br())
        top.add(action_button)

    return top

class CustomCmd(Command):

    def execute(my):
        text = my.kwargs.get('user_input')
        f = open('/tmp/my_file.txt', 'w')
        f.write(text)
        f.close()
```

If you click the first "Action" button, a file with "Hello !!!" will be created. On clicking the second "Action" button, the file content will be replaced with the word "example".

Expression Development

Using Expressions in Scripting

Using Expressions in Python - Server code

Expressions can be accessed directly through Python code. The expression language is often very convenient to quickly perform relatively complex searches quickly and easily.

To access the expressions in Python, you would use the following code:

```
from pyasm.biz import ExpressionParser
parser = ExpressionParser()
expr = "@GET(prod/shot['code','chr001'].prod/shot_instance.prod/asset.code)"
result = parser.eval(expr)
```

It is often more convenient just to access it through the Search module:

```
from pyasm.search import Search
expr = "@GET(prod/shot['code','chr001'].prod/shot_instance.prod/asset.code)"
result = Search.eval(expr)
```

Using Expressions in Python - Client API code

To access the expressions in the Python Client API, you would use the following code:

```
server = TacticServerStub.get()
expr = "@GET(prod/shot['code','chr001'].prod/shot_instance.prod/asset.code)"
result = server.eval(expr)
```

When the expression language returns subjects, these will be in the form of a dictionary like all other subjects in the client API.

Using Expressions in Javascript - Client API code

To access the expressions in the Javascript Client API, you would use the following code:

```
var server = TacticServerStub.get()
expr = "@GET(prod/shot['code','chr001'].prod/shot_instance.prod/asset.code)"
var result = server.eval(expr)
```

Using Expressions in Widget Config

The main widget to use expressions is "tactic.ui.table.ExpressionElementWdg".

When using the ExpressionElementWdg, the starting point of the expression is automatically the SObject associated with the row. This allows you to use the shorthand form without having to filter.

```
<element name='code'>
  <display class='tactic.ui.table.ExpressionElementWdg'>
    <expression>@GET(.code)</expression>
  </display>
</element>
```

Using Expressions inline in HTML

When using the CustomLayoutWdg, inline expressions are supported using a [expr][[/expr] tag formatting.

```
<div>
  <h2>There are [expr]@COUNT(prod/asset['asset_library', 'chr'])[/expr] Characters</h2>
</div>
```

Using Expressions in CustomLayoutWdg

The custom layout widget has a special html tag which can have html embedded within it. CustomLayoutWdg provides the ability to embed expressions within its html definition.

The following demonstrates a widget config using expressions:

```
<?xml version='1.0' encoding='UTF-8'?>
<config>
<example>
<html>
  <table>
    <tr><td>[expr]$LOGIN[/expr]</td></tr>
    <tr><td>[expr]{@GET(.code)} : {@GET(.description)}[/expr]</td></tr>
  </table>
</html>
</example>
</config>
```

Please refer to the CustomLayoutWdg in the Widget Reference documentation for more information on how to use the CustomLayoutWdg.

Validation

Validation Set-up

To limit what a user can enter in a field, you can set up validation for the column. It is particularly useful when the user is required to type in a text field instead of a selection list. This works on the client side so it activates before you click on the save button.

Example 1: Ensure the field description of prod/shot starts with the word "Client"

In the edit view of prod/shot, make sure there is an element for description defined with these display options:

```
<element name='description'>
  <display class='TextWdg'>
    <validation_js>return value.test(/^Client/)</validation_js>
    <validation_warning>It needs to start with Client</validation_warning>
  </display>
</element>
```

If the person types in something, press Enter and it fails the validation, the text field will turn red. You can view the warning message when the mouse pointer is over the text field. The variable 'value' is assumed to be value the user types in.

Example 2: Ensure the field description of prod/shot contains the code in the same row. The assumption is that the user would pick a show code in the previous column before typing in a description.

In the edit view prod/shot, make sure there is an element for description defined with these display options:

```
<element name='description'>
  <display class='TextWdg'>
    <validation_script>validate_desc</validation_script>
    <validation_warning>It needs to contain the shot code</validation_warning>
  </display>
</element>
```

The script it refers to is a javascript saved in the Script Editor. It has a code equal to 'validate_desc'.

```
// value, display_target_el, and bvr are assumed variables
var row = display_target_el.getParent('.spt_table_tr');
var td = row.getElement('td[spt_element_name=shot_code]');
var shot_code = td.getAttribute('spt_input_value');
var exp = new RegExp(shot_code);
if (!shot_code) {
  return false;
}
if (value.test(exp)) {
  return true;
}
else {
  return false;
}
```

Like 'value', 'display_target_el' and 'bvr' are assumed variables.. The former represents the html element holding the value whereas the latter is the behavior object.

TACTIC Python Client API Reference

__init__

__init__(login=None, setup=True, protocol=None, server=None, project=None, ticket=None, user=None, password='')

Initialize the TacticServerStub

keyparam:

login - login_code

setup - if set to True, it runs the protocol set

protocol - xmlrpc or local. it defaults to xmlrpc

server - tactic server

project - targeted project

ticket - login ticket key

user - tactic login_code that overrides the login

password - password for login

abort

abort(ignore_files=False)

Abort the transaction. This undos all commands that occurred from the beginning of the transactions

keyparam:

ignore_files: (boolean) - determines if any files moved into the repository are left as is. This is useful for very long processes where it is desirable to keep the files in the repository even on abort.

example:

A full transaction inserting 10 shots. If an error occurs, all 10 inserts will be aborted.

```
server.start('Start adding shots')
try:
    for i in range(0,10):
        server.insert("prod/shot", { 'code': 'XG%0.3d'%i } )
except:
    server.abort()
else:
    server.finish("10 shots added")
```

add_config_element

```
add_config_element(search_type, view, name, class_name=None, display_options={},
action_class_name=None, action_options={}, element_attrs={}, login=None, unique=True,
auto_unique_name=False, auto_unique_view=False)
```

This method adds an element into a config. It is used by various UI components to add new widget element to a particular view.

param:

search_type - the search type that this config belongs to

view - the specific view of the search type

name - the name of the element

keyparam:

class_name - the fully qualified class of the display

action_class_name - the fully qualified class of the action

display_options - keyword options in a dictionary to construct the specific display

action_options - keyword options in a dictionary to construct the specific action

element_attrs - element attributes in a dictionary

login - login name if it is for a specific user

unique - add an unique element if True. update the element if False.

auto_unique_name - auto generate a unique element and display view name

auto_unique_view - auto generate a unique display view name

return:

boolean - True

example:

This will add a new element to the "character" view for a 3D asset

```
search_type = 'prod/asset'
view = 'characters'
class_name = 'tactic.ui.common.SimpleElementWdg'
server.add_config_element(search_type, view, class_name)
```

This will add a new element named "user" to the "definition" view. It contains detailed display and action nodes

```
data_dict = {} # some data here
search_type = 'prod/asset'
server.add_config_element(search_type, 'definition', 'user', class_name
= data_dict['class_name'], display_options=data_dict['display_options'],
element_attrs=data_dict['element_attrs'], unique=True,
action_class_name=data_dict['action_class_name'], action_options=data_dict['action_options'])
```

add_dependency

add_dependency(snapshot_code, file_path, type='ref')

This method will append a dependency referent to an existing checkin.

All files are uniquely contained by a particular snapshot. Presently, this method does a reverse lookup by file name. This assumes that the filename is unique within the system, so it is not recommended unless it is known that naming conventions will produce unique file names for every this particular file. If this is not the case, it is recommended that `add_dependency_by_code()` is used.

param:

snapshot_code - the unique code identifier of a snapshot

file_path - the path of the dependent file. This function is able to reverse map the file_path to the appropriate snapshot

keyparam:

type - type of dependency. Values include 'ref' and 'input_ref'

ref = hierarchical reference: ie A contains B

input_ref = input reference: ie: A was used to create B

tag - a tagged keyword can be added to a dependency to categorize the different dependencies that exist in a snapshot

return:

dictionary - the resulting snapshot

add_dependency_by_code

add_dependency_by_code(to_snapshot_code, from_snapshot_code, type='ref')

Append a dependency reference to an existing checkin. This dependency is used to connect various checkins together creating a separate dependency tree for each checkin.

param:

to_snapshot_code: the snapshot code which the dependency will be connected to

from_snapshot_code: the snapshot code which the dependency will be connected from

type - type of dependency. Values include 'ref' and 'input_ref'

ref = hierarchical reference: ie A contains B

input_ref - input reference: ie: A was used to create B

tag - a tagged keyword can be added to a dependency to categorize the different dependencies that exist in a snapshot

return:

dictionary - the resulting snapshot

add_directory

add_directory(snapshot_code, dir, file_type='main', mode="copy", dir_naming="", file_naming=")

Add a full directory to an already existing checkin.

This informs TACTIC to treat the entire directory as single entity without regard to the structure of the contents. TACTIC will not know about the individual files and the directory hierarchy within the base directory and it is left up to the external program to interpret and understand this.

This is often used when logic on the exact file structure exists in some external source outside of TACTIC and it is deemed to be complicated to map this into TACTIC's snapshot definition.

param:

snapshot_code - a unique identifier key representing an object

dir - the directory that needs to be checked in

keyparam:

file_type - file type is used more as snapshot type here

mode - copy, move, preallocate, manual, inplace

dir_naming - explicitly set a dir_naming expression to use

file_naming - explicitly set a file_naming expression to use

return:

dictionary - snapshot

example:

This will create a new snapshot for a search_key and add a directory using manual mode

```
dir = 'C:/images'
handoff_dir = my.server.get_handoff_dir()
shutil.copytree('%s/subfolder' %dir, '%s/images/subfolder' %handoff_dir)

snapshot_dict = my.server.create_snapshot(search_key, context='render')
snapshot_code = snapshot_dict.get('code')
my.server.add_directory(snapshot_code, dir, file_type='dir', mode='manual')
```


add_file

add_file(snapshot_code, file_path, file_type='main', use_handoff_dir=False, mode=None, create_icon=False)

Add a file to an already existing snapshot. This method is used in piecewise checkins. A blank snapshot can be created using `create_snapshot()`. This method can then be used to successively add files to the snapshot.

In order to checkin the file, the server will need to have access to these files. There are a number of ways of getting the files to the server. When using copy or move mode, the files are either copied or moved to the "handoff_dir". This directory is an agreed upon directory in which to handoff the files to the server. This mode is generally used for checking in user files. For heavy bandwidth checkins, it is recommended to use preallocated checkins.

param:

snapshot_code - the unique code identifier of a snapshot

file_path - path of the file to add to the snapshot.

Optional: this can also be an array to add multiple files at once.

This has much faster performance than adding one file at a time.

Also, note that in this case, `file_types` must be an array of equal size.

keyparam:

file_type - type of the file to be added.

Optional: this can also be an array. See `file_path` argument for more information.

use_handoff_dir - DEPRECATED: (use `mode` arg) use handoff dir to checkin file. The handoff dir is an agreed upon directory between the client and server to transfer files.

mode - upload|copy|move>manual|inplace

the file to the server.

create_icon - (True|False) determine whether to create an icon for this appended file. Only 1 icon should be created for each snapshot.

dir_naming - explicitly set a dir_naming expression to use

file_naming - explicitly set a file_naming expression to use

return:

dictionary - the resulting snapshot

example:

This will create a blank model snapshot for character chr001 and add a file

```
search_type = 'prod/asset'
code = 'chr001'
search_key = server.build_search_type(search_type, code)
context = 'model'
path = "./my_model.ma"

snapshot = server.create_snapshot(search_key, context)
server.add_file( snapshot.get('code'), path )
```

Different files should be separated by file type. For example,

to check in both a maya and houdini file in the same snapshot:

```
maya_path = "./my_model.ma"
houdini_path = "./my_model.hip"

server.add_file( snapshot_code, maya_path, file_type='maya' )
server.add_file( snapshot_code, houdini_path, file_type='houdini' )
```

To transfer files by uploading (using http protocol):

```
server.add_file( snapshot_code, maya_path, mode='upload' )
```

To create an icon for this file

```
path = 'image.jpg'
server.add_file( snapshot_code, path, mode='upload', create_icon=True )
```

To add multiple files at once

```
file_paths = [maya_path, houdini_path]
file_types = ['maya', 'houdini']
server.add_file( snapshot_code, file_paths, file_types=file_types, mode='upload' )
```

add_group

add_group(snapshot_code, file_path, file_type, file_range, use_handoff_dir=False, mode=None)

Add a file range to an already existing snapshot

param:

snapshot_code - the unique code identifier of a snapshot

file_path - path of the file to add to the snapshot

file_type - type of the file to be added.

file_range - range with format s

keyparam:

use_handoff_dir - use handoff dir to checkin file

mode - one of 'copy','move','preallocate'

return:

dictionary - the resulting snapshot

add_initial_tasks

add_initial_tasks(search_key, pipeline_code=None, processes=[])

Add initial tasks to an object

param:

search_key - the key identifying a type of object as registered in the search_type table.

keyparam:

pipeline_code - override the object's pipeline and use this one instead

processes - create tasks for the given list of processes

return:

list - tasks created

build_search_key

build_search_key(search_type, code, project_code=None, column='code')

Convenience method to build a search key from its components. A

search_key uniquely identifies a specific subject. This string

that is returned is heavily used as an argument in the API to

identify an subject to operate one

A search key has the form: "prod/shot?project=bar&code=XG001"

where search_type = "prod/shot", project_code = "bar" and code = "XG001"

param:

search_type - the unique identifier of a search type: ie prod/asset

code - the unique code of the subject

keyparam:

project_code - an optional project code. If this is not

included, the project from get_ticket() is added.

return:

string - search key

example:

```
search_type = "prod/asset"
code = "chr001"
search_key = server.build_search_key(search_type, code)
e.g. search_key = prod/asset?project=code=chr001
```

```
search_type = "sthpw/login"
code = "admin"
search_key = server.build_search_key(search_type, code, column='code')
e.g. search_key = sthpw/login?code=admin
```

build_search_type

build_search_type(search_type, project_code=None)

Convenience method to build a search type from its components. It is a simple method that build the proper format for project scoped search types. A full search type has the form:

prod/asset?project=bar.

It uniquely defines a type of sobject in a project.

param:

search_type - the unique identifier of a search type: ie prod/asset

project_code (optional) - an optional project code. If this is not included, the project from get_ticket() is added.

return:

search type string

example

```
search_type = "prod/asset"  
full_search_type = server.build_search_type(search_type)
```

checkout

checkout(search_key, context, version=-1, file_type='main', dir='', level_key=None, to_sandbox_dir=False, mode='copy')

Check out files defined in a snapshot from the repository. This will copy files to a particular directory so that a user can work on them.

param:

search_key - a unique identifier key representing an object

context - context of the snapshot

keyparam:

version - version of the snapshot

file_type - file type defaults to 'main'. If set to '*', all paths are checked out

level_key - the unique identifier of the level in the form of a search key

to_dir - destination directory defaults to '.'

to_sandbox_dir - (True|False) destination directory defaults to

sandbox_dir (overrides "to_dir" arg)

mode - (copy|download)

to copy the files to the destination location

return:

list - a list of paths that were checked out

clear_upload_dir

clear_upload_dir()

Clears the upload directory to ensure clean checkins

param:

None

keyparam:

None

return:

None

connect_objects

connect two subjects together

param:

src_subject - the original subject from which the connection starts

dst_subject - the subject to which the connection connects to

keyparam:

context - an arbitrary parameter which defines type of connection

return:

dictionary - the last connection subject created

create_search_type

`create_search_type(search_type, title, description="", has_pipeline=False)`

Create a new search type

param:

search_type - Newly defined search_type

title - readable title to display this search type as

keyparam:

description - a brief description of this search type

has_pipeline - determines whether this search type goes through a pipeline. Simply puts a pipeline_code column in the table.

return

string - the newly created search type

create_snapshot

create_snapshot(search_key, context, snapshot_type="file", description="No description", is_current=True, level_key=None, is_revision=False)

Create an empty snapshot

param:

search_key - a unique identifier key representing an subject

context - the context of the checkin

keyparam:

snapshot_type - [optional] describes what kind of a snapshot this is.

More information about a snapshot type can be found in the

prod/snapshot_type subject

description - [optional] optional description for this checkin

is_current - flag to determine if this checkin is to be set as current

is_revision - flag to set this as a revision instead of a version

level_key - the unique identifier of the level that this

is to be checked into

return:

dictionary - representation of the snapshot created for this checkin

create_task

create_task(search_key, process="publish", subcontext=None, description=None, bid_start_date=None, bid_end_date=None, bid_duration=None, assigned=None)

Create a task for a particular subject

param:

search_key - the key identifying a type of subject as registered in the search_type table.

keyparam:

process - process that this task belongs to

subcontext - the subcontext of the process (context = process/subcontext)

description - detailed description of the task

bid_start_date - the expected start date for this task

bid_end_date - the expected end date for this task

bid_duration - the expected duration for this task

assigned - the user assigned to this task

return:

dictionary - task that was created

delete_subject

delete_subject(search_key)

Invoke the delete method. Note: this function may fail due to dependencies. Tactic will not cascade delete. This function should be used with extreme caution because, if successful, it will permanently remove the existence of an object

param:

search_key - a unique identifier key representing an object.

Note: this can also be an array.

return:

dictionary - a dictionary that represents values of the object in the form name:value pairs

directory_checkin

```
directory_checkin(search_key, context, dir, snapshot_type="directory", description="No description",
file_type='main', is_current=True, level_key=None, metadata={}, mode="copy", is_revision=False,
checkin_type="strict")
```

Check in a directory of files. This informs TACTIC to treat the entire directory as single entity without regard to the structure of the contents. TACTIC will not know about the individual files and the directory hierarchy within the base directory and it is left up to the external program to interpret and understand this. This is often used when logic on the exact file structure exists in some external source outside of TACTIC and it is deemed too complicated to map this into TACTIC's snapshot definition.

param:

search_key - a unique identifier key representing an object

dir - the directory that needs to be checked in

keyparam:

snapshot_type - type of snapshot this checkin will have

description - description related to this checkin

file_type - the type of file that will be associated with this group

is_current - makes this snapshot current

level_key - the search key of the level if used

metadata - add metadata to snapshot

mode - determines whether the files passed in should be copied, moved or uploaded. By default, this is 'copy'

is_revision - flag to set this as a revision instead of a version

checkin_type - auto or strict which controls whether to auto create versionless

return:

dictionary - snapshot

download

`download(my, url, to_dir=".", filename="", md5_checksum="")`

Download a file from a given url

param:

url - the url source location of the file

keyparam:

to_dir - the directory to download to

filename - the filename to download to, defaults to original filename

md5_checksum - an md5 checksum to match the file against

return:

string - path of the file downloaded

eval

eval(expression, search_keys=[], mode=None, single=False, vars={}, show_retired=False)

Evaluate the expression. This expression uses the TACTIC expression language to retrieve results. For more information, refer to the expression language documentation.

param:

expression - string expression

keyparam:

search_keys - the starting point for the expression.

mode - string|expression

single - True|False

vars - user defined variable

show_retired - defaults to False to not return retired items

return:

results of the expression. The results depend on the exact nature of the expression.

example:

#1. Search for snapshots with context beginning with 'model' for the asset with the search key 'prod/asset?project=sample3d&id=96'

```
server = TacticServerStub.get()
exp = "@SOBJECT(sthpw/snapshot['context','EQ','^model'])"
result = server.eval(exp, search_keys=['prod/asset?project=sample3d&id=96'])
```

Please refer to the expression language documentation for numerous examples on how to use the expression language.

execute_cmd

execute_cmd(class_name, args={}, values={})

Execute a command

param:

class_name - the fully qualified class name of the widget

keyparam:

args - keyword arguments required to create a specific widget

values - form values that are passed in from the interface

return:

string - description of command

execute_pipeline

execute_pipeline(pipeline_xml, package)

Spawn an execution of a pipeline as delivered from

'get_pipeline_xml()'. The pipeline is a xml document that describes
a set of processes and their handlers

param:

pipeline_xml - an xml document describing a standard Tactic pipeline.

package - a dictionary of data delivered to the handlers

return:

instance - a reference to the interpreter

execute_python_script

execute_python_script(class_name, args={}, values={})

Execute a command

param:

script_path - script path in Script Editor, e.g. test/eval_sobj

return:

dictionary - returned data structure

finish

finish()

End the current transaction and cleans it up

params:

description: this will be recorded in the transaction log as the
description of the transaction

example:

A full transaction inserting 10 shots. If an error occurs, all 10
inserts will be aborted.

```
server.start('Start adding shots')
try:
    for i in range(0,10):
        server.insert("prod/shot", { 'code': 'XG%0.3d'%i } )
except:
    server.abort()
else:
    server.finish("10 shots added")
```

generate_ticket

generate_ticket()

Ask the server to generate a ticket explicitly used for your own commands

return - a string representing the transaction ticket

get_all_children

get_all_children(search_key, child_type, columns=[])

Get all children of a particular child type of an subject

param:

ticket - authentication ticket

search_key - a unique identifier key representing an subject

child_type - the search_type of the children to search for

keyparam:

filters - extra filters on the query : see query method for examples

columns - list of column names to be included in the returned dictionary

return:

list of dictionary - a list of subjects dictionaries

get_all_dependencies

```
get_all_dependencies(snapshot_code, mode='explicit', type='ref', include_paths=False,  
include_paths_dict=False, include_files=False, repo_mode='client_repo', show_retired=False)
```

Retrieve the latest dependent snapshots of the given snapshot

param:

search_key - unique identifier of subject whose snapshot we are
looking for

keyparam:

mode - explicit (get version as defined in snapshot)

- latest

- current

type - one of ref or input_ref

include_paths - flag to specify whether to include a `__paths__` property
containing all of the paths in the dependent snapshots

include_paths_dict - flag to specify whether to include a
`__paths_dict__` property containing a dict of all paths in the
dependent snapshots

include_files - includes all of the file objects referenced in the
snapshots

repo_mode - client_repo, web, lib, relative

show_retired - defaults to False so that it doesn't show retired dependencies

return:

list - snapshots

get_all_paths_from_snapshot

```
get_all_paths_from_snapshot(snapshot_code, mode='client_repo', expand_paths=False, filename_mode='')
```

Get all paths from snapshot

param:

snapshot_code - the unique code of the snapshot

keyparam:

mode - forces the type of folder path returned to use the value from the

appropriate tactic_<SERVER_OS> - conf.xml configuration file.

Values include 'lib', 'web', 'local_repo', 'sandbox', 'client_repo', 'relative'

lib = the NFS asset directory from the server point of view

web = the http asset directory from the client point of view

local_repo = the local sync of the TACTIC repository

sandbox = the local sandbox (work area) designated by TACTIC

client_repo (default) = the asset directory from the client point of view

If there is no value for win32_client_repo_dir or linux_client_repo_dir

in the config, then the value for asset_base_dir will be used instead.

relative = the relative directory without any base

expand_paths - expand the paths of a sequence check

filename_mode - source or "", where source reveals the source_path of the check

file_types - list: only return files in snapshot with these types

return:

list - paths

get_base_dirs

get_base_dirs()

get all of the base directories defined on the server

return:

dictionary of all the important configured base directories

with their keys

get_by_search_key

get_by_search_key(search_key)

Get the info on an object based on search key

param:

ticket - authentication ticket

search_type - the key identifying a type of object as registered in the search_type table.

return:

list of dictionary - objects that represent values of the object in the form of name:value pairs

get_child_types

get_child_types(search_key)

Get all the child search types

param:

search_key - a unique identifier key representing an subject

return:

list - the child search types

get_client_api_version

get_client_api_version()

return:

string - client api version

get_client_dir

get_client_dir(snapshot_code, file_type='main', mode='client_repo')

Get a dir segment from a snapshot

param:

snapshot_code - the unique code of the snapshot

keyparam:

file_type - each file in a snapshot is identified by a file type.

This parameter specifies which type. Defaults to 'main'

mode - Forces the type of folder path returned to use the value from the

appropriate tactic_<SERVER_OS> - conf.xml configuration file.

Values include 'lib', 'web', 'local_repo', 'sandbox', 'client_repo', 'relative'

lib = the NFS asset directory from the server point of view

web = the http asset directory from the client point of view

local_repo = the local sync of the TACTIC repository

sandbox = the local sandbox (work area) designated by TACTIC

client_repo (default) = the asset directory from the client point of view

If there is no value for win32_client_repo_dir or linux_client_repo_dir

in the config, then the value for asset_base_dir will be used instead.

relative = the relative directory without any base

return:

string - directory segment for a snapshot and file type

example:

If the tactic_<SERVER_OS> - conf.xml configuration file contains the following:

```
<win32_client_repo_dir>T:/assets</win32_client_repo_dir>
```

and if the call to the method is as follows:

```
snapshot = server.create_snapshot(search_key, context)
```

```
code = snapshot.get('code')
server.get_path_from_snapshot(snapshot.get('code'))
```

Then, on a Windows client, `get_client_dir()` will return:

```
T:/assets/sample3d/asset/chr/chr003/scenes
```

get_client_version

get_client_version()

return:

string - Version of TACTIC that this client came from

get_column_info

get_column_info(search_type)

Get column information of the table given a search type

param:

search_type - the key identifying a type of subject as registered in the search_type table.

return - a dictionary of info for each column

get_column_names

get_column_names(search_type)

This method will get all of the column names associated with a search type

param:

search_type - the search type used to query the columns for

return

list of columns names

get_config_definition

get_config_definition(search_type, view, element_name)

Get the widget configuration definition for an element

param:

search_type - search type that this config relates to

view - view to look for the element

element_name - name of the element

keyparam:

personal - True if it is a personal definition

return:

string - xml of the configuration

get_connected_subject

get the connected subject

params

src_subject - the original subject from which the connection starts

keyparam:

context - an arbitrary parameter which defines type of connection

return:

dict - a single connected subject

get_connected_subjects

get all of the connected subjects

param:

src_subject - the original subject from which the connection starts

keyparam:

context - an arbitrary parameter which defines type of connection

return:

list - a list of connected subjects

get_dependencies

```
get_dependencies(snapshot_code, mode='explicit', tag='main', include_paths=False,
include_paths_dict=False, include_files=False, repo_mode='client_repo', show_retired=False)
```

Return the dependent snapshots of a certain tag

params:

snapshot_code - unique code of a snapshot

keyparams:

mode - explicit (get version as defined in snapshot)

- latest

- current

tag - retrieve only dependencies that have this named tag

include_paths - flag to specify whether to include a `__paths__` property

containing all of the paths in the dependent snapshots

include_paths_dict - flag to specify whether to include a

`__paths_dict__` property containing a dict of all paths in the

dependent snapshots

include_files - includes all of the file objects referenced in the

snapshots

repo_mode - client_repo, web, lib, relative

show_retired - defaults to False so that it doesn't show retired dependencies

return:

a list of snapshots

get_expanded_paths_from_snapshot

get_expanded_paths_from_snapshot(snapshot_code, file_type='main')

Return the expanded path of a snapshot (used for ranges of files)

param:

snapshot_code - the unique code of the snapshot

keyparam:

file_type - each file in a snapshot is identified by a file type.

This parameter specifies which type. Defaults to 'main'

return:

string - path

get_full_snapshot_xml

get_full_snapshot_xml(snapshot_code)

Retrieve a full snapshot xml. This snapshot definition contains all the information about a snapshot in xml

param:

snapshot_code - unique code of snapshot

return:

string - the resulting snapshot xml

get_handoff_dir

get_handoff_dir()

Return a temporary path that files can be copied to

return:

string - the directory to copy a file to handoff to TACTIC

without having to go through http protocol

get_home_dir

get_home_dir()

OS independent method to Get the home directory of the current user.

return:

string - home directory

get_info_from_user

get_info_from_user(force=False)

Get input from the user about the users environment. Questions asked pertain to the location of the tactic server, the project worked on and the user's login and password. This information is stored in an .<login>.tacticrc file.

keyparam:

force - if set to True, it will always ask for new infomation from the command prompt again

get_md5_info

get_md5_info(md5_list, texture_codes, new_paths, parent_code, texture_cls, file_group_dict, project_code)

Get md5 info for a given list of texture paths, mainly returning if this md5 is a match or not

param:

md5_list - md5_list

new_paths - list of file_paths

parent_code - parent code

texture_cls - Texture or ShotTexture

file_group_dict - file group dictionary storing all the file groups

project_code - project_code

mode - texture matching mode (md5, file_name)

return:

dictionary - a dictionary of path and a subdictionary of is_match, repo_file_code, repo_path, repo_file_range

get_parent

get_parent(search_key, columns=[], show_retired=True)

Get the parent of an subject.

param:

search_key - a unique identifier key representing an subject

keyparam:

columns - the columns that will be returned in the subject

show_retired - it defaults to False so it does not show retired parent if that's the case

return:

dictionary - the parent subject

get_parent_type

get_parent_type(search_key)

Get of the parent search type

param:

search_key - a unique identifier key representing an subject

return:

list - a list of child search_types

get_path_from_snapshot

get_path_from_snapshot(snapshot_code, file_type='main')

Get a full path from a snapshot

param:

snapshot_code - the unique code / search_key of the snapshot

keyparam:

file_type - each file in a snapshot is identified by a file type.

This parameter specifies which type. Defaults to 'main'

mode - Forces the type of folder path returned to use the value from the

appropriate tactic_<SERVER_OS> - conf.xml configuration file.

Values include 'lib', 'web', 'local_repo', 'sandbox', 'client_repo', 'relative'

lib = the NFS asset directory from the server point of view

web = the http asset directory from the client point of view

local_repo = the local sync of the TACTIC repository

sandbox = the local sandbox (work area) designated by TACTIC

client_repo (default) = the asset directory from the client point of view

If there is no value for win32_client_repo_dir or linux_client_repo_dir in the config, then the value for asset_base_dir will be used instead.

relative = the relative directory without any base

return:

string - the directory to copy a file to handoff to Tactic without having to go through http protocol

example:

If the tactic_<SERVER_OS> - conf.xml configuration file contains the following:

```
<win32_client_repo_dir>T:/assets</win32_client_repo_dir>
```

and if the call to the method is as follows:

```
snapshot = server.create_snapshot(search_key, context)
code = snapshot.get('code')
server.get_path_from_snapshot(snapshot.get('code'))

# in a trigger
snapshot_key = my.get_input_value("search_key")
server.get_path_from_snapshot(snapshot_key)
```

Then, on a Windows client, `get_path_from_snapshot()` will return:

```
T:/assets/sample3d/asset/chr/chr003/scenes/chr003_rig_v003.txt
```

get_paths

get_paths(search_key, context="publish", version=-1, file_type='main', level_key=None, single=False, versionless=False)

Get paths from an object

params:

search_key - a unique identifier key representing an object

keyparams:

context - context of the snapshot

version - version of the snapshot

file_type - file type defined for the file node in the snapshot

level_key - the unique identifier of the level that this

was checked into

single - If set to True, the first of each path set is returned

versionless - boolean to return the versionless snapshot, which takes a version of

return

A dictionary of lists representing various paths. The paths returned

are as follows:

- **client_lib_paths**: all the paths to the repository relative to the client
- **lib_paths**: all the paths to the repository relative to the server
- **sandbox_paths**: all of the paths mapped to the sandbox
- **web**: all of the paths relative to the http server

get_pipeline_processes

get_pipeline_processes(search_key, recurse=False)

DEPRECATED: use get_pipeline_processes_info()

Retrieve the pipeline processes information of a specific subject.

param:

search_key - a unique identifier key representing an subject

keyparams:

recurse - boolean to control whether to display sub pipeline processes

return:

list - process names of the pipeline

get_pipeline_processes_info

get_pipeline_processes_info(search_key, recurse=False, related_process=None)

Retrieve the pipeline processes information of a specific subject. It provides information from the perspective of a particular process if related_process is specified.

param:

search_key - a unique identifier key representing an subject

keyparams:

recurse - boolean to control whether to display sub pipeline processes

related_process - given a process, it shows the input and output processes and contexts

return:

dictionary - process names of the pipeline or a dictionary if related_process is specified

get_pipeline_xml

get_pipeline_xml(search_key)

DEPRECATED: use get_pipeline_xml_info()

Retrieve the pipeline of a specific subject. The pipeline return is an xml document and an optional dictionary of information.

param:

search_key - a unique identifier key representing an subject

return:

dictionary - xml and the optional hierarachy info

get_pipeline_xml_info

get_pipeline_xml_info(search_key, include_hierarchy=False)

Retrieve the pipeline of a specific subject. The pipeline

returned is an xml document and an optional dictionary of information.

param:

search_key - a unique identifier key representing an subject

keyparam:

include_hierarchy - include a list of dictionary with key info on each process of the pipeline

return:

dictionary - xml and the optional hierarchy info

get_plugin_dir

get_plugin_dir(plugin)

Returns the web path for the specified plugin

params:

plugin - plugin name

return:

string - the web path for the specified plugin

get_preallocated_path

get_preallocated_path(snapshot_code, file_type='main', file_name='', mkdir=True, protocol='client_repo', ext='')

Get the preallocated path for this snapshot. It assumes that this checkin actually exists in the repository and will create virtual entities to simulate a checkin. This method can be used to determine where a checkin will go. However, the snapshot must exist using `create_snapshot()` or some other method. For a pure virtual naming simulator, use `get_virtual_snapshot_path()`.

param:

snapshot_code - the code of a preallocated snapshot. This can be create by `get_snapshot()`

keyparam:

file_type - the type of file that will be checked in. Some naming conventions make use of this information to separate directories for different file types

file_name - the desired file name of the preallocation. This information may be ignored by the naming convention or it may use this as a base for the final file name

mkdir - an option which determines whether the directory of the preallocation should be created

protocol - It's either `client_repo`, `sandbox`, or `None`. It determines whether the path is from a client or server perspective

ext - force the extension of the file name returned

return:

string - the path where `add_file()` expects the file to be checked into

example:

it saves time if you get the path and copy it to the final destination first.

```
snapshot = my.server.create_snapshot(search_key, context)
snapshot_code = snapshot.get('code')
file_name = 'input_file_name.txt'
orig_path = 'C:/input_file_name.txt'
path = my.server.get_preallocated_path(snapshot_code, file_type, file_name)

# the path where it is supposed to go is generated
new_dir = os.path.dirname(path)
if not os.path.exists(new_dir):
    os.makedirs(new_dir)
shutil.copy(orig_path, path)
my.server.add_file(snapshot_code, path, file_type, mode='preallocate')
```

get_protocol

get_protocol()

return:

string - local or xmlrpc

get_related_types

get_related_types(search_type)

Get related search types given a search type

param:

search_type - the key identifying a type of subject as registered in the search_type table.

return - list of search_types

get_resource_path

get_resource_path(login=None)

Get the resource path of the current user. It differs from

create_resource_paths() which actually create dir. The resource path

identifies the location of the file which is used to cache connection information.

An exmple of the contents is shown below:

```
login=admin
server=localhost
ticket=30818057bf561429f97af59243e6ef21
project=unittest
```

The contents in the resource file represent the defaults to use

when connection to the TACTIC server, but may be overridden by the

API methods: set_ticket(), set_server(), set_project() or the

environment variables: TACTIC_TICKET, TACTIC_SERVER, and TACTIC_PROJECT

Typically this method is not explicitly called by API developers and

is used automatically by the API server stub. It attempts to get from

home dir first and then from temp_dir is it fails.

param:

login (optional) - login code. If not provided, it gets the current system user

return:

string - resource file path

get_server_api_version

get_server_api_version()

return:

string - server API version

get_server_version

get_server_version()

return:

string - server version

get_snapshot

```
get_snapshot(search_key, context="publish", version='-1', level_key=None, include_paths=False,
include_full_xml=False, include_paths_dict=False, include_files=False, include_web_paths_dict=False,
versionless=False)
```

Method to retrieve an object's snapshot

Retrieve the latest snapshot

param:

search_key - unique identifier of object whose snapshot we are
looking for

keyparam:

context - the context of the snapshot

version - snapshot version

revision - snapshot revision

level_key - the unique identifier of the level in the form of a search key

include_paths - flag to include a list of paths to the files in this
snapshot.

include_full_xml - whether to include full xml in the return

include_paths_dict - flag to specify whether to include a
__paths_dict__ property containing a dict of all paths in the
dependent snapshots

include_web_paths_dict - flag to specify whether to include a
__web_paths_dict__ property containing a dict of all web paths in
the returned snapshots

include_files - includes all of the file objects referenced in the
snapshots

versionless - boolean to return the versionless snapshot, which takes a version of

return:

dictionary - the resulting snapshot

example:

```
search_key = 'prod/asset?project=sample3d&code=chr001'
snapshot = server.get_snapshot(search_key, context='icon', include_files=True)
```

```
# get the versionless snapshot
search_key = 'prod/asset?project=sample3d&code=chr001'
snapshot = server.get_snapshot(search_key, context='anim', include_paths_dict=True,
versionless=True)
```

get_table_info

get_table_info(search_type)

Get column information of the table given a search type

param:

search_type - the key identifying a type of subject as registered in the search_type table.

return - a dictionary of info for each column

get_ticket

get_ticket(login, password)

Get an authentication ticket based on a login and password.

This function first authenticates the user and then issues a ticket.

The returned ticket is used on subsequent calls to the client api

param:

login - the user that is used for authentications

password - the password of that user

return:

string - ticket key

get_types_from_instance

get the connector types from an instance type

param:

instance_type - the search type of the instance

return:

tuple - (from_type, parent_type)

a tuple with the from_type and the parent_type. The from_type is the connector type and the parent type is the search type of the parent of the instance

get_unique_subject

get_unique_subject(search_type, data={})

This is a special convenience function which will query for an object and if it doesn't exist, create it. It assumes that this object should exist and spares the developer the logic of having to query for the subject, test if it doesn't exist and then create it.

param:

search_type - the type of the subject

data - a dictionary of name/value pairs that uniquely identify this subject

return:

subject - unique subject matching the criteria in data

get_virtual_snapshot_path

get_virtual_snapshot_path(search_key, context, snapshot_type="file", level_key=None, file_type='main', file_name='', mkdirs=False, protocol='client_repo', ext='')

Create a virtual snapshot and returns a path that this snapshot would generate through the naming conventions. This is most useful testing naming conventions.

param:

snapshot creation:

-

search_key - a unique identifier key representing an subject

context - the context of the checkin

keyparam:

snapshot_type - [optional] describes what kind of a snapshot this is.

More information about a snapshot type can be found in the prod/snapshot_type subject

description - [optional] optional description for this checkin

level_key - the unique identifier of the level that this is to be checked into

keyparam:

path creation:

-

file_type - the type of file that will be checked in. Some naming conventions make use of this information to separate directories for different file types

file_name - the desired file name of the preallocation. This information may be ignored by the naming convention or it may use this as a base for the final file name

mkdir - an option which determines whether the directory of the preallocation should be created

protocol - It's either client_repo, sandbox, or None. It determines whether the path is from a client or server perspective

ext - force the extension of the file name returned

return:

string - path as determined by the naming conventions

get_widget

get_widget(class_name, args={}, values={})

Get a defined widget

params:

class_name - the fully qualified class name of the widget

keyparams:

args - keyword arguments required to create a specific widget

values - form values that are passed in from the interface

return:

string - html form of the widget

example:

```
class_name = 'TableLayoutWdg'
```

```
args = {
```

```
  'view': 'manage',
```

```
  'search_type': 'prod/asset',
```

```
}
```

```
widget = server.get_widget(class_name, args))
```

get_widget_setting

set_widget_settings(key, value)

Get widget setting for current user and project

param

key - unique key to identify this setting

return

value of setting

group_checkin

group_checkin(search_key, context, file_path, file_range, snapshot_type="sequence", description="", file_type='main', metadata={}, mode=None, is_revision=False, info={})

Check in a range of files. A range of file is defined as any group of files that have some sequence of numbers grouping them together.

An example of this includes a range frames that are rendered.

Although it is possible to add each frame in a range using `add_file`, adding them as a sequence is lightweight, often significantly reducing the number of database entries required. Also, it is understood that test files form a range of related files, so that other optimizations and manipulations can be operated on these files accordingly.

param:

search_key - a unique identifier key representing an object

file_path - expression for file range: `./blah.####.jpg`

file_type - the type of file this is checked in as. Default = 'main'

file_range - string describing range of frames in the form 'l

keyparam:

snapshot_type - type of snapshot this checkin will have

description - description related to this checkin

file_type - the type of file that will be associated with this group

metadata - add metadata to snapshot

mode - determines whether the files passed in should be copied, moved or uploaded. By default, this is a manual process (for backwards compatibility)

is_revision - flag to set this as a revision instead of a version

info - dict of info to pass to the `ApiClientCmd`

return:

dictionary - snapshot

insert

insert(search_type, data, metadata={}, parent_key=None, info={}, use_id=False, triggers=True)

General insert for creating a new sobject

param:

search_type - the search_type attribute of the sType

data - a dictionary of name/value pairs which will be used to update

the sobject defined by the search_key.

parent_key - set the parent key for this sobject

keyparam:

metadata - a dictionary of values that will be stored in the metadata attribute

if available

info - a dictionary of info to pass to the ApiClientCmd

use_id - use id in the returned search key

triggers - boolean to fire trigger on insert

return:

dictionary - represent the sobject with it's current data

example:

insert a new asset

```
search_type = "prod/asset"

{
    'code': chr001,
    'description': 'Main Character'
}

insert( search_type, data )
```

insert a new note with a shot parent

```
# get shot key
shot_key = server.build_search_key(search_type='prod/shot',code='XG001')

data = {
    'context': 'model',
```

```
    'note': 'This is a modelling note',  
    'login': server.get_login()  
}  
  
server.insert( search_type, data, parent_key=shot_key)
```

insert a note without firing triggers

```
search_type = "sthpw/note"  
  
data = {  
    'process': 'roto',  
    'context': 'roto',  
    'note': 'The keys look good.',  
    'project_code': 'art'  
}  
  
server.insert( search_type, data, triggers=False )
```

insert_multiple

insert_multiple(data, metadata=[], parent_key=None, use_id=False, triggers=True)

Insert for several subjects in one function call. The

data structure contains all the infon needed to update and is
formatted as follows:

```
data = [  
    { column1: value1, column2: value2, column3: value3 },  
    { column1: value1, column2: value2, column3: value3 }  
]  
  
metadata = [  
    { color: blue, height: 180 },  
    { color: orange, height: 170 }  
]
```

params:

search_type - the search_type attribute of the sType

data - a dictionary of name/value pairs which will be used to update
the subject defined by the search_key

Note: this can also be an array. Each data dictionary element in
the array will be applied to the corresponding search key

keyparam:

parent_key - set the parent key for this subject

use_id - boolean to control if id is used in the search_key in returning subject dict

triggers - boolean to fire trigger on insert

return:

a list of all the inserted subjects

insert_update

insert_update(search_key, data, metadata={}, parent_key=None, info={}, use_id=False, triggers=True)

Insert if the entry does not exist, update otherwise

param:

search_key - a unique identifier key representing an subject.

data - a dictionary of name/value pairs which will be used to update

the subject defined by the search_key

keyparam:

metadata - a dictionary of values that will be stored in the metadata attribute if available

parent_key - set the parent key for this subject

info - a dictionary of info to pass to the ApiClientCmd

use_id - use id in the returned search key

triggers - boolean to fire trigger on insert

return:

dictionary - represent the subject with its current data.

log

log(level, message, category="default")

Log a message in the logging queue. It is often difficult to see output of a trigger unless you are running the server in debug mode.

In production mode, the server sends the output to log files.

The log files are general buffered.

It cannot be predicted exactly when buffered output will be dumped to a file.

This log() method will make a request to the server.

The message will be immediately stored in the database in the debug log table.

param:

level - critical|error|warning|info|debug

message - freeform string describing the entry

keyparam:

category - a label for the type of message being logged.

It defaults to "default"

query

query(search_type, filters=[], columns=[], order_bys=[], show_retired=False, limit=None, offset=None, single=False, distinct=None, return_objects=False)

General query for subject information

param:

search_type - the key identifying a type of subject as registered in the search_type table.

keyparam:

filters - an array of filters to alter the search

columns - an array of columns whose values should be retrieved

order_bys - an array of order_by to alter the search

show_retired - sets whether retired subjects are also returned

limit - sets the maximum number of results returned

single - returns only a single object

distinct - specify a distinct column

return_objects - return objects instead of dictionary. This works only when using the API on the server.

return:

list of dictionary/objects - Each array item represents an object and is a dictionary of name/value pairs

example:

```
filters = []
filters.append( ("code", "XG002") )
order_bys = ['timestamp desc']
columns = ['code']
server.query(ticket, "prod/shot", filters, columns, order_bys)
```

The arguments "filters", "columns", and "order_bys" are optional

The "filters" argument is a list. Each list item represents an individual filter. The forms are as follows:

```
(column, value)           -> where column = value
(column, (value1,value2)) -> where column in (value1, value2)
(column, op, value)       -> where column op value
      where op is ('like', '<=', '>=', '>', '<', 'is', '~', '!~', '~*', '!~*')
(value)                   -> where value
```

query_snapshots

query_snapshots(filters=None, columns=None, order_bys=[], show_retired=False, limit=None, offset=None, single=False, include_paths=False, include_full_xml=False, include_paths_dict=False, include_parent=False, include_files=False)

thin wrapper around query, but is specific to querying snapshots

with some useful included flags that are specific to snapshots

params:

ticket - authentication ticket

filters - (optional) an array of filters to alter the search

columns - (optional) an array of columns whose values should be retrieved

order_bys - (optional) an array of order_by to alter the search

show_retired - (optional)

returned

limit - sets the maximum number of results returned

single - returns a single object that is not wrapped up in an array

include_paths - flag to specify whether to include a `__paths__` property containing a list of all paths in the dependent snapshots

include_paths_dict - flag to specify whether to include a `__paths_dict__` property containing a dict of all paths in the dependent snapshots

include_full_xml - flag to return the full xml definition of a snapshot

include_parent - includes all of the parent attributes in a `__parent__` dictionary

include_files - includes all of the file objects referenced in the snapshots

return:

list of snapshots

reactivate_subject

reactivate_subject(search_key)

Invoke the reactivate method.

param:

search_key - the unigue key identifying the sobject.

return:

dictionary - sobject that represents values of the sobject in the
form name:value pairs

redo

redo(transaction_ticket=None, transaction_id=None)

Redo an operation. If no transaction id is given, then the last undone operation of this user on this project is redone

keyparam:

transaction_ticket - explicitly redo a specific transaction

transaction_id - explicitly redo a specific transaction by id

retire_subject

retire_subject(search_key)

Invoke the retire method. This is preferred over delete_subject if you are not sure whether other subjects has dependency on this.

param:

search_key - the unigue key identifying the sobject.

return:

dictionary - sobject that represents values of the sobject in the form name:value pairs

set_current_snapshot

set_current_snapshot(snapshot_code)

Set this snapshot as a "current" snapshot

param:

snapshot_code - unique code of snapshot

return:

string - the resulting snapshot xml

set_login_ticket

set_login_ticket(ticket)

Set the login ticket with the ticket key

set_project

set_project(project_code)

Set the project code

set_protocol

get_protocol()

params

string - local or xmlrpc

set_server

set_server(server_name)

Set the server name for this XML - RPC server

set_widget_setting

set_widget_settings(key, value)

Set widget setting for current user and project

param

key - unique key to identify this setting

value - value the setting should be set to

return

None

simple_checkin

```
simple_checkin( search_key, context, file_path, snapshot_type="file", description="No description",
use_handoff_dir=False, file_type="main", is_current=True, level_key=None, breadcrumb=False,
metadata={}, mode=None, is_revision=False, info={}, keep_file_name=False, create_icon=True,
checkin_cls='pyasm.checkin.FileCheckin', context_index_padding=None, checkin_type="strict",
source_path=None, version=None )
```

Simple method that checks in a file.

param:

search_key - a unique identifier key representing an object

context - the context of the checkin

file_path - path of the file that was previously uploaded

keyparam:

snapshot_type - [optional] describes what kind of a snapshot this is.

More information about a snapshot type can be found in the

prod/snapshot_type object

description - [optional] optional description for this checkin

file_type - [optional] optional description for this file_type

is_current - flag to determine if this checkin is to be set as current

level_key - the unique identifier of the level that this

is to be checked into

breadcrumb - flag to leave a .snapshot breadcrumb file containing

information about what happened to a checked in file

metadata - a dictionary of values that will be stored as metadata

on the snapshot

mode - inplace, upload, copy, move

is_revision - flag to set this as a revision instead of a version

create_icon - flag to create an icon on checkin

info - dict of info to pass to the ApiClientCmd

keep_file_name - keep the original file name

checkin_cls - checkin class

context_index_padding - determines the padding used for context

indexing: ie: design/0001

checkin_type - auto or strict which controls whether to auto create versionless

source_path - explicitly give the source path

version - force a version for this check

return:

dictionary - representation of the snapshot created for this checkin

split_search_key

split_search_key(search_key)

Convenience method to split a search_key in into its search_type and search_code/id components. Note: only accepts the new form prod/asset?project=sample3d&code=chr001

param:

search_key - the unique identifier of a subject

return:

tuple - search type, search code/id

start

start(title, description="")

Start a transaction. All commands using the client API are bound in a transaction. The combination of start(), finish() and abort() makes it possible to group a series of API commands in a single transaction. The start/finish commands are not necessary for query operations (like query(...), get_snapshot(...), etc).

keyparam:

title - the title of the command to be executed. This will show up on transaction log

description - the description of the command. This is more detailed.

transaction_ticket - optionally, one can provide the transaction ticket sequence

example:

A full transaction inserting 10 shots. If an error occurs, all 10 inserts will be aborted.

```
server.start('Start adding shots')
try:
    for i in range(0,10):
        server.insert("prod/shot", { 'code': 'XG%0.3d'%i } )
except:
    server.abort()
else:
    server.finish("10 shots added")
```

undo

undo(transaction_ticket=None, transaction_id=None, ignore_files=False)

undo an operation. If no transaction id is given, then the last operation of this user on this project is undone

keyparam:

transaction_ticket - explicitly undo a specific transaction

transaction_id - explicitly undo a specific transaction by id

ignore_files - flag which determines whether the files should also be undone. Useful for large preallocated checkins.

update

update(search_key, data={}, metadata={}, parent_key=None, info={}, use_id=False, triggers=True)

General update for updating subject

param:

search_key - a unique identifier key representing an subject.

Note: this can also be an array, in which case, the data will

be updated to each subject represented by this search key

keyparam:

data - a dictionary of name/value pairs which will be used to update

the subject defined by the search_key

Note: this can also be an array. Each data dictionary element in

the array will be applied to the corresponding search key

parent_key - set the parent key for this subject

info - a dictionary of info to pass to the ApiClientCmd

metadata - a dictionary of values that will be stored in the metadata attribute if available

use_id - use id in the returned search key

triggers - boolean to fire trigger on update

return:

dictionary - represent the subject with its current data.

If search_key is an array, This will be an array of dictionaries

update_config

update_config(search_type, view, element_names)

Update the widget configuration like ordering for a view

param:

search_type - search type that this config relates to

view - view to look for the element

element_names - element names in a list

return:

string - updated config xml snippet

update_multiple

update_multiple(data, triggers=True)

Update for several subjects with different data in one function call. The data structure contains all the information needed to update and is formatted as follows:

```
data = {  
    search_key1: { column1: value1, column2: value2 }  
    search_key2: { column1: value1, column2: value2 }  
}
```

params:

data - data structure containing update information for all subjects

keyparam:

data - a dictionary of name/value pairs which will be used to update the subject defined by the search_key

Note: this can also be an array. Each data dictionary element in the array will be applied to the corresponding search key

triggers - boolean to fire trigger on insert

return:

None

upload_file

upload_file(path)

Use http protocol to upload a file through http

param:

path - the name of the file that will be uploaded